

**Giuseppe Mancia**  
**Selected original articles**  
**2001 – 2010**

1. M.Di Rienzo, G.Parati, P.Castiglioni, R.Tordi, **G.Mancia**, A.Pedotti. Baroreflex effectiveness index: an additional measure of baroreflex control of heart rate in daily life. *Am. J. Physiol.* 2001, 280. R744-R751
2. M. Di Rienzo, P. Castiglioni, **G. Mancia**, A. Pedotti, G. Parati . Advancements in Estimating Baroreflex Function. *IEEE Eng Med.Biol.Mag* 2001, 20: 25-32
3. G. Parati, R. Antonicelli, F. Guazzarotti, E. Paciaroni, **G. Mancia**. Cardiovascular effects of an earthquake. Direct evidence by ambulatory blood pressure monitoring. *Hypertension* 2001, 38 :1093-1095
4. R. Sega, G. Trocino, A. Lanzarotti, S. Carugo, G. Cesana, R. Schiavina, F. Valagussa, M. Bombelli, C. Giannattasio, A. Zanchetti, **G. Mancia**. Alterations of cardiac structure in patients with isolated office, ambulatory or home hypertension. Data from the general PAMELA population. *Circulation* 2001, 104: 1385-1392
5. Padmanabhan S, Dominiczac A.....Mancia G et al Genome-wide association study of blood pressure extremes identifies variant near UMOD associated with hypertension *PLOS Genetics* 2010,6,e1001177
6. **G.Mancia**, S.Omboni, G.Parati, D.L.Clement, W.E.Haley, S.N.Rahman. R.P.L.M.Hoogma. Twenty-four hour ambulatory blood pressure in the Hypertension Optimal Treatment (HOT) study. *J.Hypertens.* 2001, 19:1755-1763
7. S.Omboni, R. Fogari, **G.Mancia**. A smooth blood pressure control is obtained over 24h by delapril in mild to moderate essential hypertensives. *Blood Pressure* 2001, 10: 170-175.
8. G.Parati, S.Omboni, A.Villani, F.Glavina, P.Castiglioni, M. Di Rienzo, **G.Mancia**. Reproducibility of beat-to-beat blood pressure and heart rate variability. *Blood Pressure Monit* 2001, 6: 217-220
9. S.Perlini, MLMuiesan, C.Cuspidi, L.Sampieri, B.Trimarco, GP.Aurigemma, E.Agabiti-Rosei, **G.Mancia**. Midwall mechanics are improved after regression of hypertensive left ventricular hypertrophy and normalization of chamber geometry. *Circulation* 2001, 103: 678-683
10. **G.Mancia**, G.Parati, M.Hennig, B.Flatau, S. Omboni, F.Glavina, B.Costa, R.Sherz, G.Bond, A.Zanchetti. Relation between blood pressure variability and carotid artery damage in hypertension: baseline data from European Lacidipine Study on Atherosclerosis (ELSA). *J.Hypertens.* 2001, 19: 1981-1989
11. AU. Ferrari, A. Redaelli, I. Mori, L. Mircoli, S. Perlini, P. Meregalli, L. Fedele, **G. Mancia**. Nitric-oxide dependent vasodilatation and the regulation of arterial blood pressure. *J.Cardiovasc.Pharmacol.* 2001. 28 (Suppl.2):S19-S22
12. MS. Brown, CR. Palmer, A. Castaigne, PW de Leeuw, **G. Mancia**, T. Rosenthal, LM. Ruilope. Principal results from the International Nifedipine GITS Study: intervention as a goal in hypertension treatment (INSIGHT). *Eur Heart J* 2001, 3, Suppl B : B20-B26
13. J.Chalmers, S.MacMahon, C.Anderson, MG. Bousser, J. Culter, S. Davis, G. Donnare, L. Hansson, S. Harrap, KR. Lees, L. Liu, **G. Mancia**, B. Neal, T. Omae, J. Reid, A. Rodgers, R. Sega, A. Terent, C. Tzourio, C. Warlow, M. Woodward. Randomized trial of a perindopril-based blood pressure lowering regimen among 6105 individuals with previous stroke or transient ischemic attack. *Lancet* 2001, 358: 1033-1041
14. G.Grassi, C.Turri, G.Seravalle, G.Bertinieri, A.Pierini, **G.Mancia**. Effects of chronic clonidine administration on sympathetic nerve traffic and baroreflex function in heart failure. *Hypertension* 2001, 38 : 286-291
15. G.Grassi, G.Seravalle, G.Bertinieri, C.Turri, ML. Stella, F.Scopelliti, **G.Mancia**. Sympathetic and reflex abnormalities in heart failure secondary to ischaemic or idiopathic dilated cardiomyopathy. *Clin Sci* 2001, 101, 141-146
16. C.Giannattasio, F.Achilli, A.Grappiolo, M.Failla, E.Meles, G.Gentile, I.Calchera, A.Capra, J.Baglivo, A.Vincenzi, L.Sala, **G.Mancia**. Radial artery flow-mediated dilatation in heart failure patients: effects of pharmacological and non-pharmacological treatment. *Hypertension* 2001, 38 : 1451-1455
17. C.Giannattasio, M.Failla, AA.Mangoni, S.Scandola, S.Carugo, G.Mancia. Effects of physical training of the dominant arm on ipsilateral radial artery mechanical properties. *Am.J.Physiol.* 2001, 19: 71-77
18. C.Giannattasio, M.Failla, A.Grappiolo, P.L.Gamba, F.Paleari, **G.Mancia**. Progression of large artery structural and functional alterations in Type I diabetes. *Diabetologia* 2001, 44: 203-208
19. M.Ferrario, R.Sega, L.Chatenond, **G.Mancia**, P.Mocarelli, C.Crespi, G.Cesana. Time trends of major coronary risk factory in a northern italian population (1986-1994). How remarkable are socio-

- economic differences in an industrialised low LHD incidence country. *Internat J Epidemiol* 2001, 30 : 285-291
20. A.Zanchetti, G.Crepaldi, MG.Bond, GV.Gallus, F.Veglia, A.Ventura, G.Mancia, G.Baggio, L.Sampieri, P.Rubba, S.Collatina, E.Serrotti. Systolic and pulse blood pressures (but not diastolic blood pressure and serum cholesterol) are associated with alterations in intima-media thickness in the moderately hypercholesterolemic hypertensive patients of the Plaque Hypertension Lipid Lowering Italian Study. *J. Hypertens* 2001, 19 : 79-88
  21. C.Giannattasio, M.Failla, G.Emanuelli, A.Grappiolo, L.Boffi, D.Corsi, **G. Mancia**. Local effects of atherosclerotic plaque on arterial distensibility. *Hypertension*, 2001, 38 : 1177-1180
  22. G.Grassi, G.Seravalle, R.Dell'Oro, C.Turri, L.Pasquinotto, M.Colombo, **G.Mancia**. Participation of the hypothalamus-hypophysis axis in the sympathetic activation of human obesity. *Hypertension* 2001, 38: 1316-1320
  23. S.Carugo, C.Giannattasio, I.Calchera, F.Paleari, MG.Gorgoglione, A.Grappiolo, P.Gamba, G.Rovaris, **G.Mancia**. Progression of functional and structural cardiac alterations in young normotensive uncomplicated patients with type I diabetes mellitus. *J. Hypertension* 2001, 19: 1675-1680
  24. M.Pozzi, G.Grassi, E.Redaeli, R.Dell'Oro, L.Ratti, A.Redaeli, G.Foglia, A.Di Lelio, **G. Mancia**. Patterns of regional sympathetic nerve traffic in preascitic and ascitic cirrhosis. *Hepatology*, 2001, 34 : 1113-1118
  25. L.Roffi, A.Redaeli, G.Colloredo, E.Minola, C.Donada, A.Picciotto, P.Riboli, P.Del Poggio, G.Rinaldi, B.Paris, G.Fornaciari, M.Giusti, R.Marin, R.Morales, A.Sangiovanni, G.Belloni, M.Pozzi, G.Poli, N.Mascoli, C.Corradi, P.Pioltelli, A.Scalori, **G.Mancia**. Outcome of liver disease in a large cohort of histologically proven chronic hepatitis C: influence of HCV genotype. *Eur J. Gastroenterol Hepatol* 2001, 13:501-506
  26. M. Pozzi, G. Grassi, R. Dell'Oro, E. Redaeli, G. Foglia, A. Redaeli, L. Ratti, L. Pasulo, G. Poli, A. Villa, G. Mancia. Dissociation between skin and muscle sympathetic nerve activity in liver cirrhosis. *J.Hepatol* 2001, 34 :57-58
  27. **G. Mancia**, G. Parati, M. Hennig, B. Flatau, S. Omboni, F. Glavina, B. Costa, R. Scherz, G. Bond, A. Zanchetti. Relation between blood pressure variability and carotid artery damage in hypertension: baseline data from the European Lacidipine Study on Atherosclerosis (ELSA). *J.Hypertens*. 2001, 19: 1981-1989
  28. J. Chalmers, M. Cooper, E. Ferrannini, P. Glasziou, D. Grobbee, P. Hamet, S. Harrap, L. Liu, S. MacMahon, **G. Mancia**, M. Marre, D. Matthews, C. Mogensen, B. Neal, C. Yu Pan, N. Poulter, A. Rodgers, B. Williams, M. Woodward. Study Rationale and Design of ADVANCE: Action in Diabetes and Vascular disease – preterax and diamicon MR controlled evaluation. *Diabetologia* (2001) 44: 1118-1120
  29. R.Sega, G.Corrao, M.Bombelli, L.Beltrame, R.Facchetti, G.Grassi, M.Ferrario, **G.Mancia**. Blood pressure variability and organ damage in a general population: results from the PAMELA Study. *Hypertension* 2002, 39 :710-714
  30. **G.Mancia**, S.Omboni, G.Parati. Twenty-four hour ambulatory blood pressure in the International Nifedipine GITS Study Intervention as a Goal in Hypertension treatment (INSIGHT). *J.Hypertens*. 2002, 20:545-553
  31. **G.Mancia**, M.Bombelli, A.Lanzarotti, G.Grassi, G.Cesana, A.Zanchetti, R.Sega. Systolic vs diastolic blood pressure control in the hypertensive patients of the PAMELA population. *Arch Intern Med*. 2002, 162:582-586
  32. **G.Mancia**, S.Carugo, G.Grassi, A.Lanzarotti, R.Schiavina, G.Cesana, R.Sega. Prevalence of left ventricular hypertrophy in hypertensive patients without and with blood pressure control. Data from the PAMELA population. *Hypertension* 2002, 39 : 744-749
  33. **G.Mancia**, K.Korlipara, P.van Rossum, G.Villa, B.Silvert. An ambulatory blood pressure monitoring study of the comparative antihypertensive efficacy of two angiotensin II receptor antagonists, irbesartan and valsartan. *Blood Pressure Monit* 2002, 7:135-142
  34. C.Giannattasio, A.Piperno, M.Failla, A.Vergani, **G.Mancia**. Effects of hematocrit changes on flow-mediated and metabolic vasodilatation in humans. *Hypertension* 2002, 40:74-77
  35. A.Zanchetti, MG.Bond, M.Hennig, A.Neiss, **G.Mancia**, C.Dal Palù, L.Hansson, B.Magnani, KH.Rahn, JL.Reid, J.Rodicio, M.Safar, L.Eckes, P.Rizzini. Calcium antagonist Lacidipine slows down progression of asymptomatic carotid atherosclerosis. *Circulation* 2002, 106 :2422-2427
  36. C.Cuspidi, E.Ambrosioni, **G.Mancia**, AC.Pessina, B.Trimarco, A.Zanchetti. Role of echocardiography and carotid ultrasonography in stratifying risk in patients with essential hypertension: the assessment of Prognostic Risk Observational Survey. *J.Hypertens*. 2002, 20 :1307-1314
  37. C.Giannattasio, **G.Mancia**. Arterial distensibility in humans. Modulating mechanisms, alterations in disease and effect of treatment. *J.Hypertens*. 2002, 20 :1889-1899

38. G.Grassi, R.Dell'Oro, G.Seravalle, G.Foglia, F.Quarti Trevano, **G.Mancia**. Short- and long-term neuroadrenergic effects of moderate dietary sodium restriction in essential hypertension. *Circulation* 2002, 105 :1957-1962
39. JB.Kostis, S.Coble, C.Johnston, I.Ford, M.Murphy, MA.Weber, HR.Black, PF.Plouin, D.Levy, **G.Mancia** P. Larochelle, RE Kolloch, M. Alderman, LM. Ruilope, B. Dahlof, JM Flack, J. Wolf. Design of omapatrilat in persons with entranced risk atherosclerotic events (OPERA) trial. *Am J Hypertens* 2002, 13 :29-34
40. C.Giannattasio, F.Achilli, M.Failla, A.Capra, A.Vincenzi, F.Valagussa, **G.Mancia**. Radial, carotid and aortic distensibility in congestive heart failure: effects of high-dose angiotensin- converting enzyme inhibitor or low-dose association with angiotensin type I receptor blockade. *J.Am.Coll.Cardiol.* 2002, 39 : 1275-1282
41. **G.Mancia**, LM.Ruilope, MJ.Brown, CR.Palmer, T.Rosenthal, A.Castaigne, PW.De Leuw, G.Wagener. The effect of nifedipine GITS on outcomes in patients with previous myocardial infarction: a subgroup analysis of the INSIGHT Study. *British J. Cardiol.* 2002, 9 :401-405
42. G. Bertinieri, G. Grassi, P. Rossi, A. Meloni, M. Ciampa, G. Annoni, C. Vergani, **G. Mancia**. 24-hour blood pressure profile in centenarians. *J. Hypertens* 2002, 20 :1765-1769
43. MR.Bonsignore, G.Parati, G.Insalaco, O.Marrone, P.Castiglio, S.Romano, M.Di Rienzo, **G.Mancia**, G. Monsignore. Continuous positive airway pressure treatment improves baroreflex control of heart rate during sleep in obstructive sleep apnea syndrome. *Am. J. Respir. Crit. Care Med* 2002, 166: 279-286
44. A.Piperno, P.Trombini. M.Gelosa, V.Mauri, V.Pecci, A.Vergani, A.Salvioni, R.Mariani, **G.Mancia**. Increased serum ferritin is common in men with essential hypertension. *J.Hypertension* 2002, 20:1513-1518
45. G Grassi, G Seravalle, G Bertinieri, ML Stella, C Turri, **G Mancia**. Sympathetic response to ventricular extrasystolic beats in hypertension and heart failure. *Hypertension* 2002;39:886-891.
46. Bonsignore MR, Parati G, Insalaco G, Marrone O, Castiglioni P, Romano S, Di Rienzo M, **Mancia G**, Bonsignore G. Continuous positive airway pressure treatment improves baroreflex control of heart rate during sleep in severe obstructive sleep apnea syndrome. *Am J Respir Crit Care Med.* 2002;166:279-286.
47. G. Grassi, G. Seravalle, C. Turri, GB. Bolla, **G. Mancia**. Short- versus long-term effects of different dihydropyridines on sympathetic and baroreflex function in hypertension. *Hypertension* 2003, 41:558-562
48. G. Grassi, G. Seravalle, G. Bertinieri, **G. Mancia**. Behaviour of the adrenergic cardiovascular drive in atrial fibrillation and cardiac arrhythmias. *Acta Physiol Scand* 2003, 177:39-404
49. **G. Mancia**, M. Brown, A. Castaigne, P. de Leeuw, CR. Palmer, T. Rosenthal, G. Wagener, LM. Ruilope. Outcomes with Nifedipine GITS or co-Amilozide in hypertensive diabetics and nondiabetics in intervention as a goal in hypertension (INSIGHT). *Hypertension* 2003, 41 :431-436
50. The PROGRESS Collaborative Group. J.Chalmers, S.MacMahon, C.Anderson, MG. Bousser, J. Culter, S. Davis, G. Donnare, L. Hansson, S. Harrap, KR. Lees, L. Liu, **G. Mancia**, B. Neal, T. Omae, J. Reid, A. Rodgers, R. Sega, A. Terent, C. Tzourio, C. Warlow. Effects of blood pressure lowering with Perindopril and Indapamide therapy on dementia and cognitive decline in patients with cerebrovascular disease. *Arch Intern Med.* 2003; 163:1069-1075
51. CR.Palmer, MJ.Brown, **G.Mancia**, LM.Ruilope. INSIGHT Steering Committee. Long-term cardiovascular consequences of diuretics vs calcium channel blockers vs angiotensin-converting enzyme inhibitors. *JAMA* 2003, 289:2066-2067
52. C. Giannattasio, A. Vincenti, M. Failla, A. Capra, A. Cirò, S. De Ceglia, G. Gentile, R. Brambilla, **G. Mancia**. Effects of heart rate changes on arterial distensibility in humans. *Hypertension* 2003; 42:253-256
53. G.Grassi, G.Seravalle, R.Dell'Oro, F.Quarti Trevano, M.Bombelli, F.Scopelliti, **G.Mancia**. Comparative effects of candesartan and hydrochlorothiazide on blood pressure, insulin sensitivity, and sympathetic drive in obese hypertensive individuals: results of the CROSS study. *J.Hypertens* 2003, 21:1761-1769
54. G.Grassi, G.Seravalle, C.Turri, G. Bertinieri, R.Dell'Oro, **G.Mancia**. Impairment of thermoregulatory control of skin sympathetic nerve traffic in the elderly. *Circulation.* 2003; 108:729-735
55. **G.Mancia**, G.Parati, P.Castiglioni, R.Tordi, E.Tortorici, F.Glavina, M.Di Rienzo. Daily life blood pressure changes are steeper in hypertensive than in normotensive subjects. *Hypertension* 2003; 42:277-282
56. G.Grassi, G.Seravalle, F.Quarti-Trevano, R.Dell'Oro, G.Bolla. **G.Mancia**. Effects of hypertension and obesity on the sympathetic activation of heart failure patients. *Hypertension* 2003; 42:872-877

57. G.Cesana, R.Sega, M.Ferrario, P.Chiodini, G.Corrao, **G.Mancia**. Job strain and blood pressure in employed men and women: a pooled analysis of four northern Italian population samples. *Psychosomatic Medicine* 2003;65:558-563
58. C.J.Pepine, EM.Handberg, RM.Cooper-DeHoff, RG.Marks, P.Kowej, FH.Messerli, **G.Mancia**, JL.Cangiano, D.Garcia-Barreto, M.Keltai, S.Erdine, HA.Bristol, HR.Kolb, GL.Bakris, JD.Cohen, WW.Parmley. A calcium antagonist vs non-calcium antagonist hypertension treatment strategy for patients with coronary artery disease. The International Verapamil-Trandolapril Study (INVEST): A randomized control Trial. *JAMA* 2003; 290:2805-2819
59. P.Coruzzi, G.Parati, L.Brambilla, V.Brambilla, M.Gualerzi, A.Novarini, **G.Mancia**, P.Castiglioni, M. Di Rienzo. Renal and cardiovascular responses to water immersion in essential hypertension: is there a role for the opioidergic system? *Nephron Physiol.* 2003; 94 : 51-58
60. S.Taddei, S.Omboni, L.Ghiadoni, A.Caiazza, R.Fogari, P.Innocenti, C.Porcellati, R.Giovagnetti, L.Corradi, **G.Mancia**, A.Salvetti. Combination of lisinopril and nifedipine GITS increases blood pressure control compared with single drugs in essential hypertensive patients. *J.Cardiovasc.Pharmacol.* 2003; 41:579-585
61. E.Malacco, **G.Mancia**, A.Rappelli, A.Menotti, MS.Zuccaro, A.Copponi; Shell Investigators. Treatment of isolated systolic hypertension: The SHELL study results. *Blood Pressure.* 2003; 12: 160-167
62. G.Grassi, F.Quarti-Trevano, A.Facchini, T.Toutoukas, B.Chanu, **G.Mancia**. Efficacy and Tolerability of Nebivolol vs Atenolol in mild-to-moderate essential hypertension: results of a double-blind randomized multicentre trial. *Blood Pressure* 2003; 12 (Suppl. 2): 35-40
63. M.Pozzi, C.Guidi, S.Foresti, A.Redaeli, F.Panizzuti, G.Poli, L.Ratti, E.Redaeli, A.Piperno, P.Pioltelli, G.Traverso, L.Roffi, **G.Mancia**. Long term response to interferon monotherapy revisited: rediscovery of interferon breakthrough in the age of peg-interferon combination therapy for chronic hepatitis C. *Giorn It Mal Inf* 2003; 9:213-217
64. PROGRESS Collaborative Group. J.Chalmers, S.MacMahon, C.Anderson, MG. Bousser, J. Culter, S. Davis, G. Donnare, L. Hansson, S. Harrap, KR. Lees, L. Liu, **G. Mancia**, B. Neal, T. Omae, J. Reid, A. Rodgers, R. Segal, A. Terent, C. Tzourio, C. Warlow. Effects of a perindopril- based blood pressure lowering regimen on cardiac outcomes among patients with cerebrovascular disease. *Eur. Heart J.* 2003 , 24:475-484
65. E. Kuschnir, M. Bendersky, J. Resk, MS. Panart, L. Guzman, Y. Plotquin, G. Grassi, **G. Mancia**, G. Wagener. Effects of the combination of low-dose Nifedipine GITS 20 mg and Losartan 50 mg in patients with mild to moderate hypertension. *J Cardiovasc Pharmacol.* 2004, 43:300-305
66. **G. Mancia**, R. Volpe, S. Boros, M. Ilardi, C. Giannattasio. Cardiovascular risk profile and blood pressure control in Italian hypertensive patients under specialist care. *J.Hypertens.* 2004 , 22:51-57
67. RH. Fagard, J.A. Staessen, L. Thijs, C.J. Bulpitt, D. Clement, P.W. de Leeuw, M. Jääskivi, **G. Mancia**, E. O'Brien, P. Palatini, J. Tuomilehto, J. Webster, for the Systolic Hypertension in Europe Trial Investigators. Relationship between ambulatory blood pressure and follow-up clinic blood pressure in elderly patients with systolic hypertension. *J.Hypertens* 2004, 22:81-87
68. A. Zanchetti, M. Gene Bond, M. Hennig, R. Tang, R. Hollweck, **G. Mancia**, L. Eckes, D. Micheli on behalf of the ELSA investigators. Absolute and relative changes in carotid intima-media thickness and atherosclerotic plaques during long-term antihypertensive treatment: further results of the European Lacidipine Study on Atherosclerosis (ELSA). *J Hypertens.* 2004, 22:1201-1212
69. E. Meles, C. Giannattasio, M. Failla, G. Gaetano, A. Capra, **G. Mancia**. Nonpharmacologic treatment of hypertension by respiratory exercise in the home setting. *Am J Hypertens* 2004, 17:370-374
70. G. Grassi, G. Seravalle, R. Dell'Oro, A. Facchini, V. Ilardo, **G. Mancia**. Sympathetic and baroreflex function in hypertensive or heart failure patients with ventricular arrhythmias. *J.Hypertens* 2004, 22:1747-1753
71. The ONTARGET/TRANSCEND Investigators. Teo K, Yusuf S, Sleight P, Anderson C, Mookadam F, Ramos B, Hilbrich L, Pogue J, Schumacher H, L. Richardson, J. Murphy, L. Hilbrich, A. Riedel, M. Haehl, K. Martin, T. Meinicke, G. Schmidt, F. Zhao, R. Schmieder, T. Unger, **G. Mancia**, R. Asmar,.; ONTARGET/TRANSCEND Investigators. Rationale, design, and baseline characteristics of 2 large, simple, randomized trials evaluating telmisartan, ramipril, and their combination in high-risk patients: The Ongoing Telmisartan Alone and in Combination with Ramipril Global Endpoint Trial/Telmisartan Randomized Assessment Study in ACE Intolerant Subjects with Cardiovascular Disease (ONTARGET/TRANSCEND) Trial. *Am Heart J* 2004, 148:52-61
72. RM. Cooper-DeHoff, EM. Handberg, J. Cohen, P. Kowey, FH. Messerli, **G. Mancia**, JL. Cangiano, E. Gaxiola, D. Garcia-Barreto, AC. Hewkin, CJ. Pepine, for the INVEST Investigators. Characteristics of

- Contemporary Patients with Hypertension and Coronary Artery Disease. *Clin. Cardiol.* 2004, 27 :571-576
73. G.Grassi, A.Vincenti, R.Brambilla, F.Quarti Trevano, R. Dell'Oro, A. Cirò, G.Trocino, A.Vincenzi, **G.Mancia** Sustained sympatho-inhibitory effects of cardiac resynchronization therapy in severe heart failure. *Hypertension* 2004, 44:727-731
  74. G.L. Bakris, E. Gaxiola, F.H. Messerli, **G. Mancia**, S. Erdine, R. Cooper-DeHoff, C.J. Pepine, for the INVEST Investigators. Clinical outcomes in the diabetes cohort of the international Verapamil SR-Trandolapril study. *Hypertension* 2004, 44:637-642
  75. **G. Mancia**, L.M. Ruilope, C.R. Palmer, M. Brown, A. Castaigne, P. De Leeuw, T. Rosenthal, G. Wagener. Effects of Nifedipine GITS and diuretics in isolated systolic hypertension – A subanalysis of the INSIGHT Study. *Blood Pressure* 2004; 13:310-315
  76. A. Piperno, A. Vergani, A. Salvioni, P. Trombini, M. Viganò, A. Riva, A. Zoppo, G. Boari, **G. Mancia**. Effects of venesections and restricted diet in patients with the insulin-resistance hepatic iron overload syndrome. *Liver International* 2004, 24:471-476
  77. **G. Mancia**, A.C. Pessina, B. Trimarco, G. Grassi on behalf of the SILVIA Study Group. Blood pressure control according to new guidelines targets in low-to high-risk hypertensives managed in specialist practice. *J. Hypertens* 2004, 22:2387-2396
  78. G. Grassi, R. Dell'Oro, A. Facchini, F. Quarti Trevano, G.B. Bolla, **G. Mancia**. Effect of central and peripheral body fat distribution on sympathetic and baroreflex function in obese normotensives. *J.Hypertens* 2004, 22:2363-2369
  79. C. Giannattasio, F. Achilli, M. Failla, A. Capra, A. Vincenzi, G. Gentile, D. Corsi, C. Zazzeron, L. Turolo, A. Morganti, **G. Mancia**. Arterial stiffness in heart failure patients: dependence on diastolic dysfunction and plasma aldosterone levels. *Eur Heart J* 2004, 6:30-34
  80. A. Zanchetti, G. Crepaldi, M. Gene Bond, G. Gallus, F. Veglia, **G. Mancia**, A. Ventura, G. Baggio, L. Sampieri, P. Rubba, G. Sperti, A. Magni; on behalf of PHYLLIS Investigators. Different effects of antihypertensive regimens based on fosinopril or hydrochlorothiazide with or without lipid lowering by pravastatin on progression of asymptomatic carotid atherosclerosis. Principal results of PHYLLIS – A randomized Double-Blind trial. *Stroke.* 2004; 35:2807-2812
  81. PW. de Leeuw, LM. Ruilope, CR. Palmer, MJ. Brown, A. Castaigne, **G.Mancia**, T. Rosenthal, G. Wagener. Clinical significance of renal function in hypertensive patients at high risk. Results from the INSIGHT Trial. *Arch Intern Med.* 2004;164:2459-2464
  82. C. Cuspidi, **G. Mancia**, E. Ambrosioni, A. Pessina, B. Trimarco, A. Zanchetti on behalf of the APROS Investigators. Left ventricular and carotid structure in untreated, uncomplicated essential hypertension: results from the Assessment Prognostic Risk Observational Survey (APROS). *J Human Hypertens* 2004; 18:891-896
  83. E. Gomez-Angelats, A. de La Sierra, C. Sierra, G. Parati, **G. Mancia**, A. Coca. Blood pressure variability and silent cerebral damage in essential hypertension. *Am J Hypertens.* 2004; 17:696-700
  84. G. Tocci, B. Trimarco, **G. Mancia**, M. Volpe. Cardiovascular risk profile in 14.513 patients with essential hypertension followed by Italian specialist physicians. *High Blood Pressure Cardiovasc Prev* 2004; 11:165-173
  85. T.G. Pickering, A.M.M. Shepherd, I. Puddey, D.B. Glasser, J. Orazem, N. Sherman, **G. Mancia**. Sildenafil Citrate for Erectile Dysfunction in Men Receiving Multiple Antihypertensive Agents. *AJH* 2004; 17:1135-1142
  86. M. Bombelli, R.Sega, R. Facchetti, G. Corrao, H. Polo Friz, A.M. Vertemati, R. Sanvito, E. Banfi, S.Carugo, L. Primitz and **G. Mancia**. Prevalence and clinical significance of a greater ambulatory versus office blood pressure ('reversed white coat' condition) in a general population. *J. Hypertens.*2005;23: 513-520
  87. C. Giannattasio, M. Failla, M. Hennig, R. Hollweck, S. Laurent, J.M. Mallion, J. Reid, m. Safar, G. Bond, A. Zanchetti and **G. Mancia**. Different relation between 24-h blood pressure and distensibility at different peripheral arteries. Data from the European Lacidipine Study on Atherosclerosis (ELSA). *J. Hypertens.* 2005, 23: 557-562
  88. R. Segal, R. Facchetti, M. Bombelli, G. Cesana, G. Corrao, G. Grassi, **G. Mancia**. Prognostic Value of Ambulatory and Home Blood Pressures Compared with Office Blood Pressure in the General Population. Follow-Up results from the Pressioni Arteriose Monitorate e Loro Associazioni (PAMELA) Study. *Circulation* 2005; 111:1777-1783
  89. E. Agabiti-Rosei, B. Trimarco, M.L. Muiesan, J. Reid, A. Salvetti, R. Tang, M. Hennig, H. Baurecht, G. Parati, **G. Mancia** and Alberto Zanchetti, on behalf of the ELSA echocardiographic substudy group. Cardiac structural and functional changes during long-term antihypertensive treatment with lacidipine and atenolol in the European Lacidipine Study on Atherosclerosis (ELSA). *J Hypertens* 2005, 23:1091-1098.

90. **G. Mancia**, R. Facchetti, M. Bombelli, H. Polo Friz, G. Grassi, C. Giannattasio, R. Sega. Relationship of Office, Home, and Ambulatory Blood Pressure to Blood Glucose and Lipid Variables in the PAMELA Population. *Hypertension*. 2005; 45:1072-1077
91. C. Giannattasio, A. Zoppo, G. Gentile, M. Failla, A. Capra, F. M. Maggi, A. Catapano, **G. Mancia**. Acute Effect of High-Fat meal on Endothelial Function in moderately dyslipidemic subjects. *Arterioscler Thromb Vasc Biol*. 2005; 25:406-410
92. C. Giannattasio, M. Failla, S. Lucchina, C. Zazzeron, V. Scotti, A. Capra, L. Viscardi, F. Bianchi, G. Vitale, M. Lanzetta, **G. Mancia**. Arterial Stiffening Influence of sympathetic nerve activity. Evidence from hand transplantation in humans. *Hypertension*. 2005; 45:608-611
93. R. Tang, M. Hennig, M. G. Bond, R. Hollweck, **G. Mancia** and A. Zanchetti for the ELSA Investigators. Quality control of B-mode ultrasonic measurement of carotid artery intima-media thickness: the European Lacidipine Study on Atherosclerosis. *J Hypertens*. 2005, 23:1047-1054
94. M. Pozzi, E. Redaelli, L. Ratti, G. Poli, C. Guidi, M. Milanese, I. Calchera, **G. Mancia**. Time-course of diastolic dysfunction in different stages of Chronic HCV related liver diseases. *Minerva Gastroenterol. Dietol*. 2005; 51:179-86
95. R. Paliotti, M. M. Ciulla, M. Henning, R. Tang, M.G. Bond, **G. Mancia**, F. Magrini and A. Zanchetti. Carotid wall composition in hypertensive patients after 4-year treatment with lacidipine or atenolol: an echoreflectivity study. *J Hypertens* 2005, 23:1203-1209
96. G. Grassi, A. Facchini, F. Quarti Trevano, R. Dell'Oro, F. Arenare, F. Tana, G. Bolla, A. Monzani, M. Robuschi, **G. Mancia**. "Obstructive Sleep Apnea- Dependent and Independent Adrenergic Activation in Obesity". *Hypertension*. 2005; 46:321-325.
97. G. Grassi, R. Dell'Oro, F. Quarti-Trevano, F. Scopelliti, G. Seravalle, F. Paleari, P.L. Gamba, **G. Mancia** Neuroadrenergic and reflex abnormalities in patients with metabolic syndrome. *Diabetologia*. 2005; 48: 1359-1365.
98. **G. Mancia**, E. Ambrosioni, E. Agabiti Rosei, G. Leonetti, B. Trimarco and M. Volpe on behalf of the ForLife study group. Blood pressure control and risk of stroke in untreated and treated hypertensive patients screened from clinical practice: results of the ForLife study. *J. Hypertens* 2005, 23:1575-1581.
99. V. Perkovic, R. Joshi, A. Patel, S. Bompont, J. Chalmers, S. MacMahon, M. Cooper, E. Ferrannini, P. Glasziou, D. Grobbee, P. Hamet, S. Harrap, S. Heller, L. Lisheng, **G. Mancia**, M. Marre, C. Mogensen, B. Neal, C. Yu Pan, N. Poulter, A. Rodgers, M. Woodward ADVANCE action in diabetes and vascular disease: patient recruitment and characteristics of the study population at baseline. *Diabetic Med* 2005, 22:882-888.
100. C.J. Pepine, P.R. Kowey, S.Kupfer, R.E. Kolloch, A. Benetos, **G. Mancia**, A. Coca, R.M. Cooper-De-Hoff, E. Handberg, E. Gaxiola, P. Sleight, R. Conti, A.C. Hewkin, L. Tavazzi for the INVEST Investigators. Predictors of Adverse Outcome Among Patients with hypertension and coronary Artery disease. *J Am Coll Cardiol* 2006;47:547-551
101. **G. Mancia**, R. Facchetti, M. Bombelli, G. Grassi, R. Sega. Long- Term Risk of Mortality Associated With Selective and Combined Elevation in Office, Home, and Ambulatory Blood Pressure. *Hypertension*. 2006; 47: 846-853
102. **G. Mancia**, R. Dell'Oro, F. Quarti-Trevano, F. Scopelliti, G. Grassi. Angiotensin-sympathetic system interactions in cardiovascular and metabolic disease. *J. Hypertens* 2006, 24 (suppl. 1): S51-S56
103. **G. Mancia**, G. Parati, C. Borghi, G. Ghinzi, E. Andriani, L. Marinelli, M. Valentini, F. Tessari, E. Ambrosioni on behalf of the SMOOTH Investigators. Hypertension prevalence, awareness, control and association with metabolic abnormalities in the San Marino population: the SMOOTH study. *J. Hypertens* 2006; 24:837-843
104. F.H. Messerli, **G. Mancia**, R. Conti, A.C. Hewkin, S. Kupfer, A. Champion, R. Kolloch, A. Benetos, C.J. Pepine. Dogma disputed: can aggressively lowering blood pressure in hypertensive patients with coronary artery disease be dangerous? *Ann Intern Med*. 2006; 144:884-893
105. S.E. Kjeldsen, S. Julius, **G. Mancia**, G.T. McInnes, T. Hua, M.A. Weber, A. Coca, S. Ekman, X. Girerd, K. Jamerson, P. Laroche, T.M. MacDonald, R.E. Schmieder, M.A. Schork, P. Stolt, R. Viskoper, J. Widimsky, A. Zanchetti, for the VALUE Trial Investigators. Effects of valsartan compared to amlodipine on preventing type 2 diabetes in high-risk hypertensive patients: the VALUE trial. *J. Hypertens* 2006, 24:1405-1412.
106. T.A. Aksnes, S.E. Kjeldsen, **G. Mancia**. The effect of antihypertensive agents on new-onset diabetes mellitus. *Am J Cardiovasc Drugs*. 2006; 6:139-147.
107. M. Pozzi, L. Ratti, E. Redaelli, C. Guidi, **G. Mancia**. Cardiovascular abnormalities in special conditions of advanced cirrhosis. The circulatory adaptive changes to specific therapeutic procedures for the management of refractory ascites. *Gastroenterol Hepatol*. 2006; 29:263-272.

108. A. Radaelli, M. Cazzaniga, A. Viola, G. Balestri, M. Bianchi Panetti, M.G. Signorini, P. Castiglioni, A. Azzellino, **G. Mancia**, A.U. Ferrari. baroreceptor control of the cardiovascular system by polyunsaturated fatty acids in heart failure patients. *J Am Coll Cardiol* 2006; 48:1600-1606.
109. P.A. Modesti, S. Vanni, M. Morabito, A. Modesti, M. Marchetta, T. Gamberi, F. Sofi, G. Savia, **G. Mancia**, G.F. Gensini, G. Parati. Role of endothelin-1 exposure to high altitude; acute mountain sickness and endothelin-1 (ACME-1) study. *Circulation*. 2006; 114:1410-1416.
110. G. Grassi, F. Quarti Trevano, F. Scopelliti, G. Seravalle, C. Cuspidi, **G. Mancia**. Effects of long-term lercanidipine or hydrochlorothiazide administration on hypertension-related vascular structural changes. *Blood Pressure*. 2006; 15:268-274.
111. V. Perkovic, R. Joshi, A. Patel, S. Bompont, J. Chalmers, S. MacMahon, M. Cooper, E. Ferrannini, P. Glasziou, D. Grobbee, P. Hamet, S. Harrap, S. Heller, L. Lisheng, G. Mancia, M. Marre, C. Mogensen, B. Neal, C. Yu Pan, N. Poulter, A. Rodgers, M. Woodward. ADVANCE: lessons from the run-in-phase of a large study in type 2 diabetes. *Blood Pressure* 2006, 15:340-346.
112. C. Cuspidi, S. Meani, C. Valerio, V. Fusi, C. Sala, A. Zanchetti, **G. Mancia**. Carotid atherosclerosis and cardiovascular risk stratification: role and cost-effectiveness of echo-Doppler examination in untreated essential hypertensives. *Blood Pressure* 2006; 15: 333-339
113. P.A. Modesti, M. Morabito, I. Bertolozzi, L. Massetti, G. Panci, C. Lumachi, A. Giglio, G. Bilo, G. Caldara, L. Lonati, S. Orlandino, G. Maracchi, **G. Mancia**, G.F. Gensini, G. Parati. Weather-related changes in 24-hour blood pressure profile. Effects of age and implications for hypertension management. *Hypertension* 2006;47:155-161
114. MR Bonsignore, G. Parati, G. Insalaco, P. Castiglioni, O. Marrone, S. Romano, A. Salvaggio, **G. Mancia**, G. Bonsignore, M. Di Rienzo. Baroreflex control of heart rate during sleep in severe obstructive sleep apnoea: effects of acute CPAP. *Eur Respir J*. 2006;27:128-135
115. Perlini S, Ferrero I, Palladini G, Tozzi R, Gatti C, Vezzoli M, Cesana F, Bianchi Janetti M, Clari F, Busca G, **Mancia G**, Ferrari AU. Survival benefits of different antiadrenergic interventions in pressure overload left ventricular hypertrophy/failure. *Hypertension*. 2006;48:93-97.
116. **G. Mancia**, M. Bombelli, G. Corrao, R. Facchetti, F. Madotto, C. Giannattasio, F. Quarti Trevano, G. Grassi, A. Zanchetti, R. Sega. Metabolic Syndrome in the Pressioni Arteriose monitorate e Loro Associazioni (PAMELA) Study: daily life blood pressure, cardiac damage, and prognosis. *Hypertension* 2007; 49:40-47.
117. G. Grassi, G. Seravalle, F. Quarti-Trevano, F. Scopelliti, R. Dell'Oro, G. Bolla, **G. Mancia**. Excessive sympathetic activation in heart with obesity and metabolic syndrome, characteristics and mechanisms. *Hypertension* 2007; 49:535-541
118. C. Cuspidi, S. Meani, C. Sala, C. Valerio, V. Fusi, A. Zanchetti, **G. Mancia**. How reliable is isolated clinical hypertension defined by a single 24-h ambulatory blood pressure monitoring? *J. Hypertens*. 2007; 25:315-320.
119. C. Giannattasio, A. Capra, R. Facchetti, L. Viscardi, F. Bianchi, M. Failla, V. Colombo, A. Grieco, **G. Mancia**. Relationship between arterial distensibility and coronary atherosclerosis in angina patients. *J. Hypertens*. 2007; 25:593-598.
120. O. Lederballe Pedersen, **G. Mancia**, T. Pickering, A. Høegholm, S. Julius, S.E. Kjeldsen, E.S. Nielsen, J. Refsgaard, M. Weber, for the VALUE trial group. Ambulatory blood pressure monitoring after 1 year on valsartan or amlodipine-based treatment: a VALUE substudy. *J. Hypertens*. 2007; 25:707-712.
121. C. Giannattasio, M.R. Pozzi, M. Gardinali, E. Montemerlo, F. Citterio, S. Maestroni, E. Fantini, M. Failla, M. Robuschi, S. Bianco, **G. Mancia**. Effects of prostaglandin E<sub>1</sub> cyclodextrin treatment on endothelial dysfunction in patients with systemic sclerosis. *J. Hypertens*. 2007, 25:793-797.
122. M. Pozzi, L. Ratti, C. Guidi, M. Milanese, **G. Mancia**. Potential therapeutic targets in cirrhotic cardiomyopathy. *Cardiovascular & Haematological Disorders-Drug Targets* 2007; 7:21-26.
123. **G. Mancia**, P. Bousquet, J.L. Elghozi, M. Esler, G. Grassi, S. Julius, J. Reid, P.A. van Zwieten. The sympathetic nervous system and the metabolic syndrome. *J. Hypertens*. 2007; 25:909-920.
124. **G. Mancia**, G. Parati, G. Bilo, A. Maronati, S. Omboni, H. Baurecht, M. Hennig, A. Zanchetti. Assessment of long-term antihypertensive treatment by clinic and ambulatory blood pressure: data from the European Lacidipine Study on Atherosclerosis. *J. Hypertens*. 2007; 25:1087-1094.
125. C. Cuspidi, S. Meani, C. Valerio, C. Sala, V. Fusi, A. Zanchetti, **G. Mancia**. Age and target organ damage in essential hypertension: role of the Metabolic Syndrome. *Am J Hypertens* 2007; 20:296-303.
126. **G. Mancia**, M. Bombelli, R. Facchetti, F. Madotto, G. Corrao, F. Quarti Trevano, G. Grassi, R. Sega. Long- Term prognostic value of blood pressure variability in the general population. Results of the Pressioni Arteriose Monitorate e Loro Associazioni. *Hypertension* 2007; 49:1265-1270

127. C. Cuspidi, S. Meani, C. Valerio, C. Sala, V. Fusi, M. Manaidi, A. Zanchetti, **G. Mancia**. Reproducibility of dipping/nondipping pattern in untreated essential hypertensive patients: impact of sex and age. *Blood Press Monit.* 2007; 12:101-106
128. C. Cuspidi, S. Meani, C. Valerio, A. Esposito, C. Sala, M. Maisaidi, A. Zanchetti, **G. Mancia**. Ambulatory blood pressure, target organ damage and aortic root size in never-treated essential hypertensive patients. *J Hum Hypertens.* 2007; 21 :531-538
129. M. Volpe, G. Tocci, B. Trimarco, E. Agabiti-Rosei, C. Borghi, E. Ambrosioni, A. Menotti, A. Zanchetti, **G. Mancia**. Blood Pressure Control in Italy: results of recent surveys on Hypertension. *J. Hypertens* 2007,25: 1491-1498
130. P. Bonfanti, C. Giannattasio, E. Ricci, R. Facchetti, E. Rosella, M. Pranzetti, L. Cordier, L. Posterla, M. Bombelli, R. Sega, T. Quirino, **G. Mancia**. HIV and metabolic syndrome: a comparison with the general population. *J Acquir Immun Defic Syndr.* 2007;45:426-31
131. G. Grassi, G. Seravalle, F. Quarti Trevano, R. Dell'Oro, G. Bolla, C. Cuspidi, F. Arenare, **G. Mancia**. Neurogenic Abnormalities in Masked Hypertension. *Hypertension* 2007; 50:537-542
132. A. Patel, S. MacMahon, J. Chalmers, B. Neal, M. Woodward, L. Billot, S. Harrap, N. Poulter, M. Marre, M. Cooper, P. Glasziou, D.E. Grobbee, P. Hamet, S. Heller, L.S. Liu, **G. Mancia**, C. E. Mongensen, C.Y.Pan, A. Rodgers, B. Williams. Effects of a fixed combination of perindopril and indapamide on macrovascular and microvascular outcomes in patients with type 2 diabetes mellitus (the ADVANCE trial): a randomised controlled trial. *Lancet* 2007; 370: 829-840
133. H.A.J. Struijker-Boudier, E. Ambrosioni, S. Laurent, **G. Mancia**, L.M. Ruilope, B. Waeber. The need for combination antihypertensive therapy to reach target blood pressures: what has been learned from clinical practice and morbidity-mortality trials? *Int J Clin Pract.* 2007, 61, 9, 1592-1602
134. A. Zanchetti, C. Cuspidi, L. Comarella, E. Agabiti-Rosei, E. Ambrosioni, M. Chiareiello, G. Leonetti, **G. Mancia**, A. C. Pessina, A. Salvetti, B: Trimarco, M. Volpe, N. Grassivaro, G. Vargiu. Left ventricular diastolic dysfunction in elderly hypertensives: results of the APROS-diadys study. *J. Hypertens* 2007, 25:2158-2167
135. A. Radaelli, C. Loardi, M. Cazzaniga, G. Balestri, C. De Carlini, M.G. Cerrito, E. Negrocusa, L. Guerra, S. Gerducci; D. Santo, L. Menicanti, G. Paolini, A. anellino, M.L. Lavitrano, **G. Mancia**, AU Ferrari. Inflammatory Activation During Coronary Artery Surgery and Its Dose-Dependent Modulation by Statin/ACE-Inhibitor Combination. *Arterioscler Thromb Vasc Biol* 2007; 27:2750-2755
136. G. Bilo, A. Giglio, K. Styczkiewicz, G. Caldara, A. Maronati, K. Kawecka-Jaszcz, **G. Mancia**; G. Parati. A new method for assessing 24h blood pressure variability after excluding the contribution of nocturnal blood pressure fall. *J Hypertens* 2007, 25:2058-2066
137. C. Cuspidi, C. Valerio, S. Meani, C. Sala, A. Esposito, M. Manaidi, F. Negri, V. Giudici, A. Zanchetti, **G. Mancia**. Ambulatory heart rate and target organ damage in never-treated essential hypertensives. *J Human Hypertens* 2007, 1-7
138. C. Cuspidi, S. Meani, C. Valerio, C. Sala, V. Fusi, M. Manaidi, A. Zanchetti, **G. Mancia**. Reproducibility of dipping/nondipping pattern in untreated essential hypertensive patients: impact of sex and age. *Blood Pressure Monit.* 2007, 12:101-106
139. A. Zanchetti, M. Hennig, H. Baurecht, R. Tang, C. Cuspidi, S. Carugo and **G. Mancia**. Prevalence and incidence of the metabolic syndrome in the European Lacidipine Study on Atherosclerosis (ELSA) and its relation with carotid intima-media thickness. *J Hypertens* 2007, 25:2463-2470
140. M. Volpe; E. Agabiti-Rosei; E. Ambrosioni; G. Leonetti; B. Trimarco; **G. Mancia**. Reduction in Estimated stroke risk associated with practice-based stroke-risk assessment and awareness in a large, representative population of hypertensive patients: results from the ForLife study in Italy. *J. Hypertens* 2007, 25:2390-2397
141. M. Pozzi, D. Prata Pizzala; L. Ratti, A. Capra, M. Milanese, M. Amigoni, C. Guidi, C. Giannattasio, **G. Mancia**. Heart Function and Myocardial Tissue Characterization in Patients with HCV Related Cirrhosis: Diastolic Dysfunction and Cardiac Hypertrophy. *The Open Gastroenterology Journal* 2007, 1; 1-8
142. Mancia G, Messerli F, Bakris G, Zhou Q, Champion A, Pepine CJ. Blood pressure control and improved cardiovascular outcomes in the International Verapamil SR-Trandolapril Study. *Hypertension.* 2007;50:299-305.
143. G. Grassi, G. Seravalle, GB Bolla, F. Quarti-Trevano, R. Dell'Oro, F. Arenare and G. Mancia. Heart rate as a sympathetic marker during acute adrenergic challenge. *J Hypertens* 2008, 26:70-77
144. C. Giannattasio, M. Failla, A. Capra, E. Scanziani, M. Amigoni, L. Boffi, C. Whisstock, P. Gamba, F. Paleari and **G. Mancia**. Increased Arterial Stiffness in Normoglycemic Normotensive Offspring of Type 2 Diabetic Parents. *Hypertension* 2008, 51:182-187



145. L. Ruilope, J-P. Després, A. Scheen, X. Pi-Sunyer, **G. Mancia**, A. Zanchetti and L. Van Gaal. Effect of rimonabant on blood pressure in overweight/obese patients with/without co-morbidities: analysis of pooled RIO study results. *J. Hypertens* 2008;26:357-367
146. C. Cuspidi, C. Valerio, C. Sala, A. Esposito, M. Manaidi, F. Negri, A. Zanchetti, **G. Mancia**. Prevalence and correlates multiple organ damage in a never-treated hypertensive population: role of ambulatory blood pressure. *Blood Pressure Monitoring* 2008, 13:7-13.
147. G. Corrao, A. Zambon, A. Parodi, E. Poluzzi, I. Baldi, L. Merlino, G. Cesana, **G. Mancia**. Discontinuation of and changes in drug therapy for hypertension among newly-treated patients: a population-based study in Italy. *J. Hypertens*. 2008, 26:819-824.
148. C. Cuspidi, A. Esposito, F. Negri, C. Sala, M. Manaidi, V. Giudici, A. Zanchetti, **G. Mancia**. Studies of left ventricular hypertrophy regression in arterial hypertension: a clear message for the clinician? *Am J Hypertens*. 2008, 21:458-463.
149. G. Grassi, F. Quarti-Tevano, G. Seravalle, F. Arenare, G. Brambilla, **G. Mancia**. Blood pressure lowering effects of Rimonabant in obesity-related hypertension. *J Neuroendocrinology* 2008, 20:63-68
150. The Advance Collaborative Group, A. Patel, S. MacMahon, J. Chalmers, B. Neal, L. Billot, M. Woodward, M. Marre, M. Cooper, P. Glasziou, D. Grobbee, P. Hamet, S. Harrap, S. Haller, L. Liu, G. Mancia, CE. Mogensen, C. Pan, N. Poulter, A. Rodgers, B. Williams, S. Pompoint, BE. De Galan, R. Joshi, F. Travert. Intensive Blood Glucose Control and Vascular Outcomes in patients with Type 2 diabetes. *New Engl J Med* 2008, 358:2560-2572.
151. C. Cuspidi, C. Valerio, C. Sala, M.L. Muiesan, A.M. Grandi, G. Palombo, C. Pini, G. Legnetti, A. Zanchetti, **G. Mancia**. The Hyper-Pract Study: a multicentre survey on accuracy of the echocardiographic assessment of hypertensive left ventricular hypertrophy in clinical practice. *Blood Pressure*. 2008;17:124-128.
152. C. Cuspidi, C. Valerio, F. Negri, C. Sala, M. Manaidi, V. Giudici, A. Zanchetti, **G. Mancia**. Prevalence and correlates of multiple organ damage in referred treated hypertensives: data from the ETODH study. *J Hum Hypertens*. 2008;22:801-803.
153. SE. Kjeldsen, GT. McInnes, **G. Mancia**, TA. Hua, S. Julius, MA. Weber, A. Coca, X. Girerd, K. Jamerson, P. Laroche, T. MacDonald, RE. Schmieder, MA. Schork, R. Viskoper, J. Widimski, A. Zanchetti, for the VALUE Trial Investigators. Progressive effects of valsartan compared with amlodipine in prevention of diabetes according to categories of diabetogenic risk in hypertensive patients: the VALUE Trial. *Blood Pressure*. 2008; 17:170-177.
154. S. Bangalore, FH. Messerli, JD. Cohen, PH. Bacher, P. Sleight, **G. Mancia**, P. Kowey, Q. Zhou, A. Champion, CJ. Pepine for the INVEST Investigators. Verapamil-sustained release-based treatment strategy is equivalent to atenolol-based treatment strategy at reducing cardiovascular events in patients with prior myocardial infarction: An International VERapamil SR-Trandolapril (INVEST) substudy. *Am Heart J*. 2008; 156:241-247.
155. C. Lonati, A. Morganti, L. Comarella, **G. Mancia**, A. Zanchetti, on behalf of the IPERDIA Study Group. Prevalence of type 2 diabetes among patients with hypertension under the care of 30 Italian clinics of hypertension: results of the (Iper)tensione and (dia)bete study. *J Hypertens*. 2008; 26:1801-1808.
156. **G. Mancia**, M. Bombelli, R. Facchetti, F. Madotto, G. Corrao, F. Quarti-Trevano, C. Giannattasio, G. Grassi, R. Sega. Long-term risk of diabetes, hypertension and left ventricular hypertrophy associated with the metabolic syndrome in a general population. *J Hypertens*. 2008;26:1602-1611.
157. G. Grassi, G. Seravalle, F. Quarti-Trevano, R. Dell'Oro, M. Bombelli, C. Cuspidi, R. Facchetti, GB. Bolla, **G. Mancia**. Adrenergic, Metabolic, and Reflex abnormalities in reverse and extreme dipper hypertensives. *Hypertension* 2008;52:925-931
158. C. Giannattasio, P. Salvi, F. Valbusa, A. Kearney-Schwartz, A. Capra, M. Amigoni, M. Failla, L. Boffi, F. Madotto, A. Benetos, **G. Mancia**. Simultaneous measurements of beat-to-beat carotid diameter and pressure changes to assess arterial mechanical properties. *Hypertension*. 2008;52:896-902.
159. C. Cuspidi, S. Meani, C. Valerio, F. Negri, C. Sala, M. Manaidi, V. Giudici, A. Zanchetti, **G. Mancia**. Body mass index, nocturnal fall in blood pressure and organ damage in untreated essential hypertensive patients. *Blood Pressure Monit* 2008; 13:318-324
160. **G. Mancia**. The TALENT Study. *European Cardiology* 2008;4:75-78.
161. G. Grassi, G.B. Bolla, G. Seravalle, F. Quarti-Trevano, R. Facchetti, **G. Mancia**. Multiple sampling improves norepinephrine reproducibility in essential hypertension: a comparison with the microneurographic technique. *J. Hypertens*. 2008; 26:2185-2190.
162. S. Yusuf, P. Sleight, C. Anderson, K. Teo, L. Copland, B. Ramos, L. Richarson, J. Murphy, M. Haehl, L. Hilbrich, R. Svaerd, K. Martin, D. Murwin, T. Meinicke, A. Schmidt, R. Creek, H. Schumacher,

- M. Distel, B. Aubert, J. Pogue, L. Dyal, R. Schmieder, T. Unger, R. Asmar, **G. Mancia**, R. Diaz, E. Paolasso, L. Piegas, A. Avezum, G. Dagenais, E. Cardona Munoz, J. Probstfield, M. Weber, J. Young, R. Fagard, P. Jansky, J. Mallion, J. Mann, M. Böhm, B. Eber, N.B. Karatzas, M. Keltai, B. Trimarco, P. Verdecchia, A. Maggioni, FWA. Verheugt, N.J. Holwerda, L. Ceremuzynski, A. Budaj, R. Ferreira, I. Chazova, L. Ryden, T.L. Svendsen, K. Metsarinne, K. Dickstein, G. Fodor, P. Commerford, J. Redon, T.R. Luescher, A. Oto, A. Binbrek, A. Parkhomenko, G. Jennings, L.S. Liu, C.M. Yu, A.L. Dans, R. Shah, J.H. Kim, J.H. Chen, S. Chaithiraphan. Telmisartan, Ramipril, or both in patients at high risk for vascular events. *N Eng J Med* 2008; 358:1547-1559.
163. S Yusuf, P Sleight, C Anderson, K Teo, I Copland, B Ramos, L Richardson, J Murphy, M Haehl, L Hilbrich, R Svaerd, K Martin, D Murwin, T Meinicke, A Schlosser, G Schmidt, R Creek, H Schumacher, M Distel, B Aubert, J Pogue, L Dyal, R Schmieder, T Unger, R Asmar, **G Mancia**, R Diaz, E Paolasso, L Piegas, A Avezum G Dagenais, E Cardona Munoz, J Probstfield, M Weber, J Young, R Fagard, P Jansky, J Mallion, J Mann, M Böhm, B Eber, N B Karatzas, M Keltai, B Trimarco, P Verdecchia, A Maggioni, F W A Verheugt, N J Holwerda, L Ceremuzynski, A Budaj, R Ferreira, I Chazova, L Rydén, T L Svendsen, K Metsärinne, K Dickstein, G Fodor, P Commerford, J Redon, T R Luescher, A Oto, A Binbrek, A Parkhomenko, G Jennings, L S Liu, C M Yu, A L Dans, R Shah, J-H Kim, J-H Chen, S Chaithiraphan. Effects of the angiotensin-receptor blocker telmisartan on cardiovascular events in high-risk patients intolerant to angiotensin-converting enzyme inhibitors: a randomised controlled trial. *Lancet* 2008; 372:1174-1183.
164. M. Di Rienzo, P. Castiglioni, F. Iellato, M. Volterrani, M. Pagani, **G. Mancia**, J.M. Karemaker, G. Parati. Dynamic adaptation of cardiac baroreflex sensitivity to prolonged exposure to microgravity: data from a 16-day spaceflight. *J Appl Physiol* 2008; 105:1569-1575.
165. G. Grassi, G. Bolla, F. Quarti-Trevano, F. Arenare, G. Brambilla, **G. Mancia**. Sympathetic activation in congestive heart failure: reproducibility of neuroadrenergic markers. *Eur J Heart Failure* 2008; 10:1186-1191.
166. G. Parati, G. Malfatto, S. Boarin, G. Branzi, G. Caldara, A. Giglio, G. Bilo, G. Ongaro, A. Alter, B. Gavish, **G. Mancia**. Device-guided paced breathing in the Home Setting. Effects on exercise capacity, pulmonary and ventricular function in patients with chronic heart failure: a pilot Study. *Circ Heart Fail.* 2008;1:178-183.
167. C. Lombardi, G. Parati, P. Cortelli, F. Provini, R. Vetrugno, G. Plazzi, L. Vignatelli, M. Di Rienzo, E. Lugaresi, **G. Mancia**, P. Montagna, P. Castiglioni. Daytime sleepiness and neural cardiac modulation in sleep-related breathing disorders. *J. Sleep Res.* 2008; 17:263-270.
168. G. Parati, S. Omboni, F. Albin, L. Piantoni, A. Giuliano, M. Revera, M. Illyes, **G. Mancia**, on behalf of the TeleBPCare Study Group. Home blood pressure telemonitoring improves hypertension control in general practice. *The TeleBPCare Study. J Hypertens.* 2009;27:198-203
169. G. Grassi, G. Seravalle, F. Quarti-Trevano, R. Dell'Oro, F. Arenare, D. Spaziani, **G. Mancia**. Sympathetic and baroreflex cardiovascular control in hypertension-related left ventricular dysfunction. *Hypertension* 2009;53:205-209.
170. B.E. De Galan, V. Perkovic, T. Ninomiya, A. Pillai, A. Patel, A. Cass, B. Neal, N. Poulter, S. Harrap, C.E. Mogensen, M. Cooper, M. Marre, B. Williams, P. Hamet, **G. Mancia**, M. Woodward, P. Glasziou, D.E. Grobbee, S. MacMahon, J. Chalmers; on behalf of the ADVANCE Collaborative Group. Lowering Blood Pressure reduces renal events in Type 2 diabetes. *J Am Soc Nephrol.* 2009;20:883-892.
171. J. Redon, R. Cifkova, S. Laurent, P. Nilsson, K. Narkiewicz, S. Erdine, **G. Mancia**. Mechanisms of hypertension in the cardiometabolic syndrome. *J Hypertens.* 2009; 27:441-451
172. G. Grassi, G. Seravalle, F. Arenare, G. Bucciatti, S. Furiani, V. Ilardo, G. Bolla, **G. Mancia**. Behaviour of regional adrenergic outflow in mild-to moderate renal failure. *J Hypertens.* 2009; 27:562-566.
173. S. Bangalore, F.H. Messerli, S.S. Franklin, **G. Mancia**, A. Champion, C.J. Pepine. Pulse pressure and risk of cardiovascular outcomes in patients with hypertension and coronary artery disease: an International VErpapamil SR-trandolapril Study (INVEST) analysis. *Eur Heart J* 2009; 30:1395-1401.
174. C. Cuspidi, F. Negri, V. Giudici, C. Valerio, S. Meani, C. Sala, A. Esposito, M. Manaidi, A. Zanchetti, **G. Mancia**. Prevalence and clinical correlates of right ventricular hypertrophy in essential hypertension. *J Hypertens.* 2009; 27:854-860.
175. G. Grassi, F. Arenare, F. Pieruzzi, G. Brambilla, **G. Mancia**. Sympathetic activation in cardiovascular and renal disease. *J Nephrol.* 2009; 22:190-195.

176. G. Corrao, A. Zambon, A. Parodi, M. Mezzananza, L. Merlino, G. Cesana, **G. Mancía**. Do socioeconomic disparities affect accessing and keeping antihypertensive drug therapy? Evidence from an Italian population-based study. *J. Hum Hypertens.* 2009, 23, 238-244.
177. M. Masaidi, C. Cuspidi, F. Negri, V. Giudici, C. Sala, A. Zanchetti, **G. Mancía**. Left and right ventricular structural changes in obese hypertension. *Blood Pressure* 2009; 18:23-29.
178. M. Masaidi, C. Cuspidi, V. Giudici, F. Negri, C. Sala, A. Zanchetti, G. Grassi, **G. Mancía**. Is retinal arteriolar-venular associated with cardiac and extracardiac organ damage in essential hypertension? *J Hypertens.* 2009; 27:1277-1283
179. C. Cuspidi, C. Valerio, C. Sala, F. Negri, A. Esposito, M. Manaidi, V. Giudici, A. Zanchetti, **G. Mancía**. Metabolic syndrome and biventricular hypertrophy in essential hypertension. *J. Hum. Hypertens.* 2009, 23:211-212.
180. **G. Mancía**, M. Bombelli, R. Facchetti, F. Madotto, F. Quarti-Trevano, G. Grassi, R. Sega. Increased long-term risk of new-onset diabetes mellitus in white-coat and masked hypertension. *J Hypertens.* 2009; 27:1672-1678
181. **G. Mancía**, M. Bombelli, R. Facchetti, F. Madotto, F. Quarti-Trevano, H. Polo Friz, G. Grassi, R. Sega. Long-term risk of sustained hypertension in white-coat or masked hypertension. *Hypertension.* 2009;54:226-232.
182. P. Sleight, J. Redon, P. Verdecchia, **G. Mancía**, P. Gao, R. Fagard, H. Schumacher, M. Weber, M. Böhm, B. Williams, J. Pogue, T. Koon, S. Yusuf, on behalf of the ONTARGET investigators. Prognostic value of blood pressure in patients with high vascular risk in the ongoing Telmisartan Alone and in combination with Ramipril Global Endpoint Trial study. *J Hypertens.* 2009; 27:1360-1369
183. S. Genovesi, DM. Prata Pizzala, M. Pozzi, L. Ratti, M. Milanese, F. Pieruzzi, A. Vincenti, A. Stella, **G. Mancía**, M. Stramba-Badiale. QT interval prolongation and decreased heart rate variability in cirrhotic patients: relevance of hepatic venous pressure gradient and serum calcium. *Clin Sci* 2009;116:851-859.
184. S. Giampaoli, J. Stamler, C. Donfrancesco, S. Panico, D. Vanuzzo, G. Cesana, **G. Mancía**, L. Pilotto, A. Mattiello, P. Chiodini, L. Calmieri. The metabolic syndrome: a critical appraisal based on the CUORE epidemiological study. *Preventive Medicine* 2009;48:525-531.
185. **G. Mancía**, C. Giannattasio, G. Seravalle, F. Quarti-Trevano, G. Grassi. Review. Protective effects of renin-angiotensin blockade beyond blood pressure control. *J Human Hypertens* 2009; 23:570-577.
186. B. Waeber, J.R. Benagas, **G. Mancía**, L.M. Ruilope. Blood pressure control based on office and ambulatory blood pressure monitoring: the European experience in hypertensive patients treated in clinical practice. *Arch Med Sci* 2009; 5:2A:S351-S358
187. **G. Mancía**, G. Seravalle, G. Grassi. Therapeutic strategies to lower and control high blood pressure. *Arch Med Sci* 2009; 5, 2A:S294-S299.
188. A-P Kengne, S. Czernichow, R. Huxley, D. Grobbee, M. Woodward, B. Neal, S. Zoungas, M. Cooper, P. Glasziou, P. Hamet, SB. Harrap, **G. Mancía**, N. Poulter, B. Williams, J. Chalmers on behalf of the ADVANCE Collaborative. Group. Blood pressure variables and cardiovascular risk *Hypertension* 2009;54:399-404.
189. F. Nicotra, B. Wettermark, MC. Sturkenboom, A. Parodi, R. Bellocco, A. Ekblom, L. Merlino, A. Leimanis, **G. Mancía**, M. Forede, G. Corrao. Management of antihypertensive drugs in three European Countries. *J Hypertens.* 2009;27:1917-1922.
190. T. Ninomiya, V. Perkovic, BE. De Galan, S. Zoungas, A. Pillai, M. Jardine, A. Patel, A. Cass, B. Neal, N. Poulter, C-E. Mogensen, M. Cooper, M. Marre, B. Williams, P. Hamet, **G. Mancía**, M. Woodward, S. MacMahon, J. Chalmers, on behalf of the ADVANCE Collaborative group. Albuminuria and kidney function independently predict cardiovascular and renal outcomes in diabetes. *J Am Soc Nephrol.* 2009; 20:1813-1821
191. G. Grassi, F. Quarti-Trevano, G. Seravalle, R. Dell'Oro, A. Dubini, **G. Mancía**. Differential sympathetic activation in muscle and skin neural districts in the metabolic syndrome. *Metabolism* 2009; 58:1446-1451
192. A. Zanchetti, M. Hennig, R. Hollweck, G. Bond, R. Tang, C. Cuspidi, G. Parati, R. Facchetti, **G. Mancía**. Baseline values but non treatment-induced changes in carotid intima-media thickness predict incident cardiovascular events in treated hypertensive patients. Findings in the European Lacidipine Study on Atherosclerosis (ELSA). *Circulation* 2009; 120:1084-1090
193. P. Verdecchia, P. Sleight, **G. Mancía**, R. Fagard, B. Trimarco, RE. Schmieder, J-H Kim, G. Jennings, P. Jansky, J-H Chen, L. Liu, P. Gao, J. Probstfield, K. Teo, S. Yusuf, for the ONTARGET/TRANSCEND Investigators. Effects of Telmisartan, Ramipril, and their combination on left ventricular hypertrophy in individuals at high vascular risk in the ongoing telmisartan alone and in combination with ramipril global end point trial and the telmisartan randomized assessment study in ACE intolerant subjects with cardiovascular disease. *Circulation.* 2009; 120:1380-1389.

194. G. Grassi, G. Seravalle, R. Dell'Oro, F. Arenare, R. Facchetti, **G. Mancia**. Reproducibility patterns of plasma norepinephrine and muscle sympathetic nerve traffic in human obesity. *Nutrition, Metabolism & Cardiovascular Diseases* 2009; 19:469-475.
195. de Galan BE, Zoungas S, Chalmers J, Anderson C, Dufouil C, Pillai A, Cooper M, Grobbee DE, Hackett M, Hamet P, Heller SR, Lisheng L, Macmahon S, **Mancia G**, Neal B, Pan CY, Patel A, Poulter N, Travert F, Woodward M; for the ADVANCE Collaborative group. Cognitive function and risks of cardiovascular disease and hypoglycaemia in patients with type 2 diabetes: the Action in Diabetes and Vascular Disease: Preterax and Diamicron Modified Release Controlled Evaluation (ADVANCE) trial. *Diabetologia* 2009; 52:2328-2336
196. R.M. Cooper-DeHoff, E.M. Handberg, **G. Mancia**, Q. Zhou, A. Champion, U.F. Legler, C.J. Pepine. INVEST revised: review of findings from the International Verapamil SR-Trandolapril Study. *Expert Rev. Cardiovasc. Ther.* 2009;7:1329-1340.
197. M. Bombelli, R. Facchetti, S. Carugo, F. Madotto, F. Arenare, F. Quarti-Trevano, A. Capra, C. Giannattasio, R. Dell'Oro, G. Grassi, R. Sega, **G. Mancia**. Left ventricular hypertrophy increases cardiovascular risk independently on in-office and out-of-office blood pressure values. *J Hypertens.* 2009; 27:2458-2464
198. S. Padmanabhan, C. Menni, WK. Lee, S. Laing, P. Brambilla, R. Sega, R. Perego, G. Grassi, G. Cesana, C. Delles, **G. Mancia**, AF. Dominiczak. The effects of sex and method of blood pressure measurement on genetic associations with blood pressure in the PAMELA study. *J Hypertens* 2010;28:465-477.
199. J.A. Octavio, J. Contreras, . Amair, B. Octavio, D. Fabiano, F. Moleiro, S. Omboni, A. Groppelli, G. Bilo, **G. Mancia**, G. Parati. Time-weighted vs. conventional quantification of 24-h average systolic and diastolic ambulatory blood pressures. *J Hypertens.* 2010; 28:459-464
200. P Verdecchia, G Gentile, F Angeli, G Mazzotta, **G Mancia**, G Reboldi. Influence of blood pressure reduction on composite cardiovascular endpoints in clinical trials. *J Hypertens* 2010;28:1356-1365.
201. HJL Heerspink, T Ninomiya, V Perkovic, M Woodward, S Zoungas, A Cass, M Cooper, DE Grobbee, **G Mancia G** et al for the ADVANCE Collaborative Group. Effects of fixed combination of perindopril and indapamide in patients with type 2 diabetes and chronic kidney disease. *Eur Heart J* 2010;31:2888-2896.
202. **G Mancia** , M Bombelli, R Facchetti, A Casati, I Ronchi , F Quarti-Trevano , F Arenare, G Grassi, R Sega. Impact of different definitions of the metabolic syndrome on the prevalence of organ damage, cardiometabolic risk and cardiovascular events. *J Hypertens.* 2010;28:999-1006.
203. T Ninomiya, S Zoungas, B Neal, M Woodward, A Patel, V Perkovic, A Cass, M Cooper, DE Grobbee, P Hamet, S Harrap, L Liu, **G Mancia** et al on behalf of the ADVANCE Collaborative Group. Efficacy and safety of routine blood pressure lowering in older patients with diabetes: results from the ADVANCE trial. *J Hypertens* 2010;28:1141-1149.
204. Zaninelli A, Parati G, Cricelli C, Bignamini AA, Modesti PA, Pamparana F, Bilo G, **G Mancia**, Gensini G, on behalf of MARTE Investigators. Office and 24-h ambulatory blood pressure control by treatment in general practice: the "Montoraggio della pressione ARteriosa nella medicina Territoriale" study. *J Hypertens* 2010;28:910-917.
205. Corrao G, Conti V, Merlino L, Catapano A, **Mancia G**. Results of a retrospective database analysis of adherence to statin therapy and risk of nonfatal ischemic heart disease in daily clinical practice in Italy. *Clin Ther.* 2010;32:300-310.
206. **Mancia G**, Parati G, Revera M, Bilo G, Giuliano A, Veglia F, Crepaldi G, Zanchetti A. Statins, antihypertensive treatment, and blood pressure control in clinic and over 24 hours: evidence from PHYLLIS randomised double blind trial. *Brit Med J* 2010;340:c1197.
207. P. Agostoni, G. Caldara, M. Bussotti, M. severa, M. Valentini, F. Gregoriani, A. Faini, C. Lombardi, G. Bilo, A. Giuliano, F. Veglia, G. Savia, PA. Modesti, **G. Mancia**, G. Parati on behalf of the HIGHCARE Investigators. Continuous positive airway pressure increases haemoglobin O<sub>2</sub> saturation after acute but not prolonged altitude exposure. *Eur Heart J* 2010;31: 457-463.
208. Cuspidi C, Giudici V, Lonati L, Sala C, Valerio C, **Mancia G**. Left ventricular hypertrophy detection and body mass index in essential hypertension. *Blood Pressure.* 2010; 19: 337-343.
209. SE Kjeldsen, R Schmieder, T Unger, **G Mancia**. Telmisartan and hydrochlorothiazide combination therapy for the treatment of hypertension. *Current Med Research & Opinion* 2010; 26:879-887.
210. H J L Heerspink, T Ninomiya, V Perkovic. M Woodward, S Zoungas, A Cass, M Cooper, DE Grobbee, **G Mancia**, C E Mogensen, B Neal, J Chalmers, for the ADVANCE Collaborative Group. Effects of a fixed combination of perindopril and indapamide in patients with type 2 diabetes and chornic kidney disease. *Eur Heart J* 2010; 31:2888-2896.

