

Giuseppe Mancia
Selected original articles
2011-2019

1. **G. Mancia**, E. Agabiti-Rosei, E. Ambrosioni, F. Avino, A. Carolei, M. Daccò, G. Di Giacomo, C. Ferri, I. Grazioli, G. Melzi, G. Nappi, L. Ponessi, G. Mandrini, B. Trimarco, G. Zanchin; on behalf of the MIRACLES study group. Hypertension and migraine comorbidity: prevalence and risk of cerebrovascular events: evidence from a large, multicenter, cross-sectional survey in Italy (MIRACLES). *J Hypertens*. 2011;29:309-318.
2. G. Bilo, G. Caldara, K. Styczkiewicz, M. Revera, C. Lombardi, A. Giglio, A. Zambon, G. Corrao, A. Faini, M. Valentini, **G. Mancia**, G. Parati. Effects of selective and nonselective beta-blockade on 24-h ambulatory blood pressure under hypobaric hypoxia at altitude. *J Hypertens*. 2011;29:380-387.
3. G. Grassi, R. Cifkova, S. Laurent, K. Narkiewicz, J. Redon, C. Farsang, M. Viigimaa, S. Erdine, G. Brambilla, M. Bombelli, R. Dell'Oro, M. Notari, **G. Mancia**. Blood pressure control and cardiovascular risk profile in hypertensive patients from central and eastern European countries: results BP-CARE study. *Eur Heart J*. 2011;32:218-225.
4. C. Cuspidi, S. Meani, F. Negri, C. Valerio, C. Sala, **G. Mancia**. Is Blunted heart rate decrease at night associated with prevalent organ damage in essential hypertension? *Blood Press Monit*. 2011; 16:16-21.
5. **G. Mancia**, G. Parati, G. Bilo, G. Choi, J. Choi, M.O.Kilama, L.M. Ruilope, on behalf of the TALENT investigators. Blood pressure control by the nifedipine GITS–telmisartan combination in patients at high cardiovascular risk: the TALENT study. *J. Hypertension*. 2011;29:600-609.
6. G. Corrao, A. Parodi, F. Nicotra, A. Zambon, L. Merlini, G. Cesana, **G. Mancia**. Better compliance to antihypertensive medications reduces cardiovascular risk. *J Hypertens*. 2011;29:610-618
7. A.I. Pincelli, N. Masera, L. Tavecchia, M. Perotti, S. Perra, R. Mariani, A. Piperno, **G. Mancia**, G. Grassi, G. Masera. GH Deficiency in Adult B-Thalassemia Major Patients and Its Relationship with IGF-1 Production. *Pediatric Endocrinology Reviews*, 2011;8(Suppl.2):197-202.
8. A. Piperno, S. Galimberti, R. Mariani, S. Pelucchi, G. Ravasi, C. Lombardi, G. Bilo, M. Revera, A. Giuliano, A. Faini, V. Mainini, M. Westerman, T. Ganz, M.G. Valsecchi, **G. Mancia**, G. Parati ad for the HIGHCARE investigators. Modulation of hepcidin production during hypoxia-induced erythropoiesis in humans *in vivo*: data from the HIGHCARE project. *Blood*. 2011; 117:2953-2959
9. G. Grassi, F. Quarti-Trevano, G. Serravalle, F. Arenare, M. Volpe, S. Furiani, R. Dell'Oro, **G. Mancia**. Early Sympathetic Activation in the Initial Clinical Stages of Chronic Renal Failure. *Hypertension*. 2011;57:846-851.
10. **G. Mancia**, A. Parodi, L. Merlini, G. Corrao. Heterogeneity in antihypertensive treatment discontinuation between drugs belonging to the same class. *J. Hypertens*. 2011;29:1012-1018.
11. G. Grassi, S. Padmanabhan, C. Menni, G. Serravalle, W.K. Lee, M. Bombelli, G. Brambilla, C. Giannattasio, G. Cesana, A. Dominiczak, **G. Mancia**. Association between ADRA1A gene and the metabolic syndrome: candidate genes and functional counterpart in the PAMELA population. *J Hypertens*. 2011;29:1121-1127.
12. C. Cuspidi, S. Meani, F. Negri, C. Sala, **G. Mancia**. Left ventricular hypertrophy and abdominal aorta size in essential hypertension. *J. Hypertension*. 2011;29:1213-1219.
13. C. Menni, V. Bagnardi, S. Padmanabahn, R. Facchetti, R. Sega, M. Ferrario, P. Brambilla, W. Lee, . Dominiczak, **G. Mancia**, G. Cesana. Evaluation of how gene-job strain interaction affects blood pressure in the PAMELA study. *Psychosomatic Medicine* 2011; 73:304-309
14. C. Cuspidi, F. Negri, C. Sala, **G. Mancia**. Mitral deceleration index is associated with aortic root dilatation and not to biventricular structural changes in essential hypertension. *Blood Pressure*, 2011;20:190-195
15. J. Redon, M.H. Olsen, R.S. Cooper, O. Zurriaga, M.A. Martinez-Beneito, S. Laurent, R. Cifkova, A. Coca, **G. Mancia**. Stroke mortality and trends from 1990 to 2006 in 39 countries from Europe and Central Asia: implications for control of high blood pressure. *Eur Heart J*. 2011; 32:1424-1431
16. Ambrosioni E, Bombelli M, Cerasola G, Cipollone F, Ferri C, Grazioli I, Leprotti C, **Mancia G**, Melzi G, Mugellini A, Mulè G., Palasciano G, Salvetti A, Trimarco B. Ambulatory Monitoring of Systolic Hypertension in the Elderly: Eprosartan/Hydrochlorothiazide compared with Losartan/Hydrochlorothiazide (INSIST trial). *Adv. Ther*.2010;27:365-380.
17. C. Giannattasio, A. Capra, I. Calchera, V. Colombo, F. Cesana, S. Nava, A. Maloberti, M. Alloni, R. Facchetti, G. Trocino, G. Grassi, G. Paolini, **G. Mancia**. Persistence of arterial functional abnormalities after successful coronary revascularization. *J. Hypertens* 2011;29:1374-79

18. ADVANCE Echocardiography Substudy Investigators and the ADVANCE Collaborative Group. Effects of perindopril-indapamide on left ventricular diastolic function and mass in patients with type 2 diabetes: the ADVANCE Echocardiography Substudy. *J. Hypertens.* 2011;29:1439-47
19. R. Schmieder, J. Mann, H. Schumacher, P. Gao, **G. Mancia**, M. Waeber, M. McQueen, T. Koon, S. Yusuf on behalf of the ONTARGET Investigators. Changes in albuminuria predict mortality and morbidity in patients with vascular disease. *J. Am. Soc Nephrol.* 2011, 22:1353-64
20. P. Agostoni, E. Swenson, M. Bussotti, M. Revera, P. Meriggi, A. Faini, C. Lombardi, G. Bilo, A. Giuliano, D. Bonacina, P. Modesti, **G. Mancia**, G. Parati on behalf of the HIGHCARE Investigators. High-altitude exposure of three weeks duration increases lung diffusing capacity in humans. *J. Appl Physiol* 2011;110:1564-1571
21. A.E. Rigamonti, S.G. Cella, S.M. Bonomo, **G. Mancia**, G. Grassi, M. Perotti, F. Agosti, A. Sartorio, E.E. Müller, A.I. Pincelli. Effect of somatostatin infusion on peptide YY secretion: studies in the acute and recovery phase of anorexia nervosa and in obesity. *Eur. J Endocrinology*. 2011;165:421-427
22. C. Cuspidi, F. Negri, M.L. Muiesan, A.M. Grandi, L. Lonati, A. Ganau, D. Degli Esposti, A. Milan, C. Sala, R. Facchetti, **G. Mancia**. Indexing cardiac parameters in echocardiographic practice: Do estimates depend on how weight and height have been assessed? A study on left atrial dilatation. *J. Am. Soc Hypertens* 2011; 5: 177-183
23. **G. Mancia**, H. Schumacher, J. Redon, P. Verdecchia, R. Schmieder, G. Jennings, K. Yusoff, L. Ryden, G. L. Liu, K. Teo, P. Sleight, S. Yusuf. Blood Pressure Targets Recommended by Guidelines and Incidence of Cardiovascular and Renal Events in the Ongoing Telmisartan Alone and in Combination With Ramipril Global Endpoint Trial (ONTARGET). *Circulation* 2011;124:1727-1736
24. M. Bombelli, R. Facchetti, R. Segà, S. Cargo, D. Fodri, G. Brambilla, C. Giannattasio, G. Grassi , **G. Mancia**. Impact of Body Mass Index and Waist Circumference on the Long-Term Risk of Diabetes Mellitus, Hypertension and Cardiac organ Damage. *Hypertension* 2011;58:1029-1035.
25. G. Grassi, G. Serravalle, L. Ghidoni, G. Tripepi, R.M. Bruno, **G. Mancia**, C. Zoccali. Sympathetic nerve traffic and asymmetric dimethylarginine in chronic kidney disease. *Clin J Am Soc Nephrol* 2011;6:2620-2627.
26. C. Giannattasio, F. Cesana, S. Maestroni, A. Salvioni, A. Maloberti, S. Nava, M. Cairo, F. Madotto, F. Zerbini, S. Sironi, G. Grassi, **G. Mancia**. Comparison of echotracking and magnetic resonance assessment of abdominal aorta distensibility and relationships with pulse wave velocità. *Ultrasound Med & Biol.* 2011; 37: 1970-1976
27. C. Cuspidi, F. Negri, C. Sala, **G. Mancia**. Mitral deceleration index is associated with aortic root dilatation and not to biventricular structural changes in essential hypertension. *Blood Pressure* 2011; 20: 190-195
28. C. Cuspidi, C. Sala, C. Valerio, F. Negri, **G. Mancia**. Nocturnal blood pressure in untreated essential hypertensives. *Blood Pressure*. 2011; 20: 335-341
29. M. Bombelli, R. Facchetti, R. Segà, S. Carugo, D. Fodri, G. Brambilla, C. Giannattasio, G. Grassi, **G. Mancia**. Impact of body mass index and waist circumference on the long-term risk of diabetes mellitus, hypertension, and cardiac organ damage. *Hypertension* 2011;58:1029-1035.
30. H. J. Lambers Heerspink, T. Ninomiya, V. Perkovic, M. Woodward, S. Zoungas, A. Cass, M. Cooper, D. E. Grobbee, **G. Mancia**, C. E. Mogensen, B. Neal, J. Chalmers, for the ADVANCE Collaborative Group. Effects of a fixed combination of perindopril and indapamide in patients with type 2 diabetes and chronic kidney disease. *Eur Heart J* 2010;31: 2888-2896
31. PA Modesti, S Rapi, R Paniccia, G Bilo, M Revera, P Agostoni, A Piperno, GE Cambi, A Rogolino, A Buggeri, **G. Mancia**, GF Genuini, R Abbate, G. Parati. Index Measured at ad intermediate altitude to predict impending acute mountain sickness. *Med Sci Sport E* 2011; 43: 1811-1818
32. A. J. Ramirez, G. Parati, P. Castiglioni, D. Consalvo, P. Solis, M. R. Risk, P. Waissman, M. Di Renzo, **G. Mancia**, R. A. Sanchez. Elderly Hypertensive Patients: Silent white matter lesions, blood pressure variability, baroreflex impairment and cognitive deterioration. *Curr Hypert Rev*, 2011;7, 80-87
33. Corrao G, Nicotra F, Parodi A, Zambon A, Heiman F, Merlini L, Fortino I, Cesana G, **Mancia G**. Cardiovascular protection by initial and subsequent combination of antihypertensive drugs in daily life practice. *Hypertension* 2011;58:566-72
34. Corrao G, Scotti L, Zambon A, Baio G, Nicotra F, Conti V, Capri S, Tragni E, merlino L, Catapano AL, **Mancia G**. Cost-effectiveness of enhancing adherence to therapy with statins in the setting of primary cardiovascular prevention. Evidence from an empirical approach based on administrative database. *Atherosclerosis* 2011;217:479-85
35. C Falcone, M P Buzzi, S Bozzini, C Boiocchi, A D'Angelo, S Schirinzi, C Esposito, M Torreggiani, J Choi, M O Kilama, **G.Mancia**. Microalbuminuria and sRAGE in High-Risk Hypertensive Patients Treated with Nifedipine/Telmisartan Combination Treatment: a substudy of TALENT. Hindawi Publishing Corporation. *Mediators of Inflammation* 2012;2012:874149 doi 10.1155/2012/874149.

36. J. Redon, **G. Mancia**, P. Sleight, H. Schumacher, P. Gao, J. Pogue, R. Fagard, P. Verdecchia, M. Weber, M. Bohm, B. Williams, K. Yusoff, Koon Teo, S. Yusuf. Safety and Efficacy of Low Blood Pressures among patients with Diabetes. *J Am Coll Cardiol* 2012; 59:74-83
37. C. Falcone, M.P. Buzzi, S. Bozzini, C. Baiocchi, A. D'Angelo, S. Schirinzi, C. Esposito, M. Torreggiani, J. Choi, M. Ochan, **G.Mancia**. Microalbuminuria and sRAGE in High-Risk Hypertensive Patients Treated with Nifedipine/Telmisartan Combination Treatment: substudy of TALENT. *Mediators of Inflammation* Volume 2012, ID 874149, 1-6
38. S Julius, P Palatini, SE Kjeldsen, A Zanchetti, MA Weber, GT McInnes, HR Brunner, **G Mancia**, MA Schork, TA Hua, B Holzhauer, D Zappe, S Majahalme, K Jamerson, N Koylan. Usefulness of heart rate to predict cardiac events in treated patients with high-risk systemic hypertension. *Am J Cardiol*. 2012;109:685-692.
39. S Carugo, D Solari, A Esposito, A Pernigotti, B Caimi, C Redaelli, M Maisaidi, G Brambilla, G Grassi, **G Mancia**. Clinic Blood Pressure, ambulatory blood pressure and cardiac structural alterations in nonagenarians and in centenarians. *Blood Pressure*, 2012; 21:97-103
40. A. Capra, M. Galderisi, C. Giannattasio, P. Innelli, R. Facchetti, F. Cesana, M. Alloni, S. Carugo, G. Grassi, O. De Divitiis, **G. Mancia**. Early alterations in left ventricular diastolic function in normotensive diabetic patients. *Blood Pressure*, 2012; 21:110-115
41. C. Cuspidi, R. Facchetti, C. Sala, M. Bombelli, F. Negri, S. Cargo, R. Sega, G. Grassi, **G. Mancia**. Normal values of left-ventricular mass: echocardiographic findings from the PAMELA study. *J Hypertens* 2012;30:997-1003
42. P. Verdecchia, G. Dagenias, J. Healey, P. Gao, A.L. Dans, I. Chazova, A. S. Binbrek, G. Iacobellis, R. Ferriera, N. Holwerda, N. Karatzas, m. Keltai, **G. Mancia**, P. Sleight, K. Teo, S. Yusuf. Blood pressure and other determinants of new-onset atrial fibrillation in patients at high cardiovascular risk in the Ongoing Telmisartan Alone and in Combination With Ramipril Global Endpoint Trial/Telmisartan Randomized AssessmeNt Study in ACE iNtolerant subjects with cardiovascular Disease studies. *J. Hypertens* 2012;30:1004-1014
43. G. Corrao, A. Zambon, A. Parodi, L. Merlino, **G. Mancia**. Incidence of Cardiovascular Events in Italian Patients with early discontinuations of antihypertensive, lipid-lowering, and antidiabetic treatments. *Am J Hypertens* 2012, 25, 5: 549-555
44. G. Grassi, G. Seravalle, G. Brambilla, **G: Mancia**. The Sympathetic nervous system and new nonpharmacologic approaches to treating hypertension: a focus on renal denervation. *Canadian J Cardiol* 2012; 28: 311-317
45. **G. Mancia**, R. Facchetti, G. Parati, A. Zanchetti. Visit-to-visit blood pressure variability in the European Lacidipine Study on Atherosclerosis: methodological aspects and effects of antihypertensive treatment. *J Hypertens* 2012, 30:1241-1251
46. H. Arima, C. Anderson, T. Omae, M. Woodward, S. MacMahon, **G. Mancia**, M.G. Bousser, C. Tzourio, A. Rodgers, B: Neal, J. Chalmers for the Perindopril Protection Against Recurrent Stroke Study (PROGRESS) Collaborative group. Effects of blood pressure lowering on intracranial and extracranial bleeding in patients on antithrombotic therapy, The PROGRESS Trial. *Stroke*. 2012;43:1675-1677
47. M. Volpe, A. Battistoni, G. Tocci, E. Agabiti Rosei, A. L. catalano, R. Coppo, S. del Prato, S. gentile, E. Mandarino, S. Novo, D. Prisco, **G. Mancia**. Cardiovascular risk assessment beyond Systemic Coronary Risk Estimation: a role for organ damage markers. *J Hypertens* 2012, 30:1056-1064
48. G. Tocci, E. Agabiti Rosei, E. Ambrosiani, C. Borghi, C. Ferri, A. Ferrucci, **G. Mancia**, A. Moranti, R. Pontremoli, B. Trimarco, A. Zanchetti, M. Volpe. Blood pressure control in Italy: analysis of clinical data from 2005-2011 surveys on hypertension. *J Hypertens* 2012, 30:1065-1074
49. G. Grassi, G. Seravalle, F. Quartu Trevano, R. Dell'Oro, **G. Mancia**. Blood pressure control and antihypertensive treatment. *Curr Vasc Pharmacol*, 2012, 10, 506-511
50. G. Grassi, M. Bombelli, G. Brambilla, F. Quartu Trevano, R. Dell'Oro, **G. Mancia**. Total cardiovascular risk, blood pressure variability and adrenergic overdrive in hypertension: evidence, mechanisms and clinical implications. *Curr Hypertens Rep*. 2012; 14:333-338
51. JM Neutel, **G. Mancia**, HR Black, B. Dahlöf, H Defeo, L. Ley, R. Vinisko; TEAMSTA Severe HTN Study Investigators. Single-pill combination of telmisartan/amlodipine in patients with severe hypertension: results from the TEAMSTA severe HTN study. *J clin Hypertens* 2012; 14:206-215
52. GS Hillis, J Hata, M. Woodward, V Perkovic H Arima, CK, Chow, Q. Li, S. Zoungas, A. Patel, N Poulter, **G. Mancia**, B Williams, J. Chalmers. Resting heart rate and the risk of microvascular complications in patients with type 2 Diabeite Mellitus. *J Am Heart Ass*. 2012;e002832
53. C. Cuspidi, F. Negri, C. Sala, C. Valerio, **G. Mancia**. Association of left atrial enlargement with left ventricular hypertrophy and diastolic dysfunction: a tissue Doppler study in echocardiographic practice. *Blood Pressure*. 2012; 21:24-30
54. C. Cuspidi, S. Meani, C. Sala, C. Valerio, F. Negri, **G: Mancia**. Age related prevalence of severe left ventricular hypertrophy in essential hypertension: Echocardiographic findings from the ETODH study. *Blood Press* 2012; 21:139-145

55. C. Cuspidi, C. Sala, C. Valerio, F. Negri, **G. Mancia**. Nocturnal Hypertension and Organ Damage in Dippers and Nondippers. *Am. J. Hypertens* 2012;25:869-875
56. G. Seravalle, C. Cazzaniga, R. Attanasio, G. Grassi, L. Lonati, C. Facchini, R. Cozzi, LM Fatti, M. Montini, G. Vitale, G. Sciotino, S. Damanti, G. Brambilla, F. Cavagnini, **G. Mancia**, M. Scacchi. Decreased adrenergic tone in acromegaly: evidence from direct recording of muscle sympathetic nerve activity. *Clin Endocrinol* 2012, 77:262-267
57. **G. Mancia**, R. Facchetti, G. Parati, A. Zanchetti. Visit-to-Visit blood pressure variability, carotid atherosclerosis and cardiovascular events in the European Lacidipine Study on Atherosclerosis. *Circulation* 2012;126:569-578
58. C. Menni, L. Boffi, F. Cesana, C. Viviani Anselmi, S. Nava, F. Bertola, A.M. Di Blasio, R. Roncarati, V. Trimarco, M. Marino, B. Trimarco, G. Grassi, C. Giannattasio, **G. Mancia**. Variant on chromosome 9p is associated with left ventricular mass: results from two cohorts of essential hypertensive individuals. *J Hypertens* 2012, 30:2144-2150.
59. M. A. Weber, S. Julius, S. E. Kjeldsen, Y. Jia, H. R. Brunner, D. H. Zappe, T. A. Hua, G. T. McInnes, A. Schork, **G. Mancia**, A. Zanchetti. Cardiovascular outcomes in hypertensive patients comparing single-agent therapy with combination therapy. *J. Hypertens* 2012, 30:2213-2222
60. G. Corrao, F. Nicotra, A. Parodi, A. Zambon, D. Scranna, F. Heiman, L. Merlini, **G. Mancia**. External adjustment for unmeasured confounders improved drug-outcomes association estimates based on health care utilization data. *J. Clin. Epidemiol.* 2012; 65:1190-1199.
61. A. Torsello, E. Bresciani, M. Ravelli, L. Rizzi, I. Bulgarelli, G. Ricci, B. Chiazza, M. Del Puppo, V. Macinini, R.O. Omeljanuk, L. Tamiazzo, **G. Mancia**, F. Magni, V. Locatelli. Novel domani-selective ACE-inhibiting activity of synthetic growth hormone secretagogues. *Pharmacol Res.* 2012; 66: 317-324
62. S. van Dieren, AP Kenge, J. Chalmers, JW Beulens, ME Cooper, DE Grobbee, S. Harrap, **G. Mancia**, B. Neal, A. Patel, N. Poulter, YT van der Schouw, M. Woodward, S. Zoungas. Effect of blood pressure lowering on cardiovascular outcomes in different cardiovascular risk groups among participants with type 2 diabetes. *Diabetes Res Clin Pract.* 2012; 98: 83-90
63. M. Perotti, A. Camuno, A. Brunanti, N. Cambiagli, M. Casati, M. Scacchi, S. Perra, C. Rocco, **G. Mancia**, G. Grassi, F. Cavagnini, Al Pincelli. Postprandial triglyceride profile after a standardized oral fat load is altered in growth hormone (GH)-deficient adult patients and is not improved after short-term GH replacement therapy. *Clin Endocrinol (Oxf)* 2012; 77:721-727
64. GS Hillis, M. Woodward, A. Rogers, CK Chow, Q. Li, S. Zoungas, A. Patel, R. Webster, GD Batty, T. Ninomiya, **G. Mancia**, NR Poulter, J. Chalmers. Resting heart rate and the risk of death and cardiovascular complications in patients with type 2 diabetes mellitus. *Diabetologia* 2012;55:1283-1290
65. G.S. Hills, J. Hata, M. Woodward, V. Perkovic, H. Arima, C.K. Chow, S. Zoungas, A. Patel, N.R. Puolter, **G. Mancia**, B. Williams, J. Chalmers. Resting heart rate and risk of microvascular complications in patients with type 2 diabetes mellitus. *J Am Heart Assoc* 2012;1:e003832
66. J.K.K. Vishram, A. Borglykke, A.H. Andreasen, J. Jeppesen, H. Ibsen, T. Jørgensen, G. Broda, L. Palmieri, S. Giampaoli, C. Donfrancesco, F. Kee, **G. Mancia**, G. Cesana, K. Kuulasmaa, S. Sans, M.H. Olsen. Impact of age on the importance of systolic and diastolic blood pressure for stroke risk: the Monica, Risk, Genetics, Archiving, and Monograph (MORGAM) project. *Hypertension* 24, 2012; 60:1117-1123
67. C. Giannattasio, M. Cairo, F. Cesana, M. Alloni, P. Soriani, G. Colombo, G. Grassi, **G. Mancia**. Blood pressure control in Italian essential hypertensives treated by general practitioners. *Am J Hypertens* 2012; 25:1182-1187
68. **G. Mancia**, G. Parati, G. Bilo, P. Gao, R. Fagard, J. Redon, I. Czuriga, M. polak, JM. Ribeiro, R. Sanchez, B. Trimarco, P. Verdecchia, W. Van Mieghem, K. Teo, P. Sleight, S. Yusuf. Ambulatori blood pressare values in the ongoing Telmisartan Alone and in compination with Ramipril global endpoint Trial (ONTARGET). *Hypertension* 2012;60:1400-1406
69. G. Bilo, M. Revera, M. Bussotti, D. Bonacina, K. Styczkiewicz, G. Caldara, A. Giglio, A. Faini, A. Giuliano, C. Lombardi, K. Kawecka-Jaszcz, **G. Mancia**, P. Agostoni, G. Parati. Effects of slow deep breathing at high altitude on oxygen saturation, pulmonary and systemic hemodynamics. *Plos One*, 2012;7 : e49074
70. F. Fici, D. Ural, S. Tayfun, G. Kozaoglu, R. facchetti, G. Brambilla, R. Dell'Oro, G. Grassi, G. Mancia. Left ventricular diastolic dysfunction in newly diagnosed intreated hypertensive patients. *Blood Pressure*, 2012;21:331-337
71. MG Wong, V Perkovic, M Woodward, J Chalmers, Q Li, GS Hillis, D Yaghobian Azari, M Jum, N Puolter, P Hamet, B Williams, B Neal, **G. Mancia**, M Cooper, CA Pollock. Circulating bone morphogenetic protein-7 and transforming growth factor- β 1 are better predictors of renal end points in patients with type 2 diabetes mellitus. *Kidney Int.* 2012;83:278-284.

72. GS Hills, J. Hata, M. Woodward, V. Perkovic, H. Arima, CK Chow, S. Zoungas, A. Patel, NR Poulter, **G. Mancia**, B. Williams, J. Chalmers. Resting Heart Rate and the Risk of Microvascular Complications in Patients With Type 2 Diabetes Mellitus. *J Am Heart Assoc.* 2012;1:e002832.
73. G. Grassi, **G. Mancia**. Tailoring antihypertensive drug treatment to body size. *S. Nat. Rev. Endocrinol.* 2013; 9, 141-143.
74. A. Radaelli, P Castiglioni, MG Cerrito, C De Carlini, F Soriano, M Di Renzo, ML Lavitrano, G Paolini, **G Mancia**. Infusion of Escherichia coli lipopolysaccharides toxin in rats produces an early and severe impairment of baroreflex function in absence of blood pressure changes. *Shock* 2013;39:204-209.
75. P. Salvi, M. Revera, A. Faini, A. Giuliano, F. Gregorini, P. Agostoni, C.G. Ramos Becerra, G. Bilo, C. Lombardi, M.F. O'Rourke, **G.Mancia**, G.Parati. Changes in subendocardial viability ratio with Acute High-Altitude Exposure and Protective Role of Acetazolamide. *Hypertension*.2013;61:793-799.
76. T. Celik, UC Yuksel, F. Fici, M. Celik, H Yaman, S Kilic, A Ilyisoy, R. Dell'Oro, G Grassi, M Yokusoglu, **G Mancia**. Vascular inflammation and aortic stiffness relate to early left ventricular diastolic dysfunction in prehypertension. *Blood Pressure* 2013;22:94-100
77. C. Lombardi, P. Meriggi, P. Agostoni, A. Faini, G. Bilo, M. Severa, G. Caldara, M. Di Renzo, P. Castiglioni, M. Bussotti, F. Gregorini, **G. Mancia**, G. Parati. High-altitude hypoxia and periodic breathing during sleep: gender-related differences. *J Sleep Res.* 2013;22:322-330.
78. V Perkovic, HL Heerspink, J Chalmers, M Woodward, M Jun, Q Li, S MacMahon, ME Cooper, P Hamet, M Marre, CE Mogensen, N Poulter, **G Mancia**, A Cass, A Patel, S Zoungas .Intensive glucose control improves kidney outcomes in patients with type 2 diabetes. *Kidney Int.* 2013;83:517-523.
79. F. Cesana, S. Nava, C. Menni, L. Boffi, M. Varrenti, P. Meani, A. Maloberti, G. Grassi, C. Giannattasio, **G. Mancia**. Does the 9p region affect arterial stiffness? Results from a cohort of Hypertensive individuals. *Blood Pressure*, 2013. 22:302-306.
80. PA. Modesti, M Morabito, L Massetti, S Rapi, S Orlandini, **G Mancia**, GF Gensini, G Parati. Seasonal blood pressure changes: an independent relationship with temperature and daylight hours. *Hypertension* 2013;61:908-914.
81. G. Parati, M. Revera, A. Giuliano, A. Faini, G. Bilo, F. Gregorini, E. Lisi, S. Salerno, C. Lombardi, CG Ramos Becerra, **G Mancia**, P. Salvi. Effects of acetazolamide on central blood pressure, peripheral blood pressure, and arterial distensibility at acute high altitude exposure. *Eur Heart J.* 2013;34:759-766.
82. G Seravalle, C Carzaniga, G Sciortino, R Attanasio, LM Fatti, R Cozzi, M Montini, G Vitale, G Brambilla, F Cavagnini, **G Mancia**, G Grassi, M Scacchi. Differential patterns of regional neuroadrenergic cardiovascular drive in acromegalic disease. *Clin Exp Pharmacol Physiol* 2013;40:333-337.
83. G Grassi, G Seravalle, S Buzzi, L Magni, G Brambilla, F Quarti-Trevano, R Dell'Oro, **G Mancia**. Muscle and skin sympathetic nerve traffic during physician and nurse blood pressure measurement. *J. Hypertens* 2013;31:1131-1135.
84. G Grassi, M Bombelli, G Seravalle, G Brambilla, R Dell'Oro, **G Mancia**. Role of antihypertensive blood pressure monitoring in resistant hypertension. *Curr Hypertens Rep.* 2013;15:232-237.
85. C. Cuspidi, R. Facchetti, M. Bombelli, C. Sala, F. Negri, G. Grassi, **G. Mancia**. Nighttime blood pressure and new-onset left ventricular hypertrophy: findings from the Pamela population. *Hypertension*. 2013;62:78-84.
86. **G Mancia**, M Bombelli, G Brambilla, R Facchetti, R Sega, E Toso, G Grassi. Long-term prognostic value of white coat hypertension. An insight from diagnostic use of both ambulatory and home blood pressure measurements. *Hypertension* 2013;62:168-174
87. M Bombelli, R Facchetti, D Fodri, G Brambilla, R Sega, G Grassi, **G Mancia**. Impact of body mass index and waist circumference on the cardiovascular risk and all-cause death in a general population: Data from the PAMELA study. *Nutrition, Metabolism & Cardiovasc Dis* 2013;23:650-656.
88. S. Kjeldsen, **G Mancia**, RE Schmieder, M Mattheus, T Unger. An update on telmisartan/hydrochlorothiazide combinations for the management of hypertensive patients with additional cardiovascular risk factors. *Expert Rev Cardiovasc Ther.* 2013;11:673-682.
89. C Cuspidi, C Sala, L Lonati, F Negri, M Rescaldani, A Re, S Meani, **G Mancia**. Metabolic syndrome, left ventricular hypertrophy and carotid atherosclerosis in hypertension: A gender-based study. *Blood Pressure* 2013; 22: 138-143.
90. G Brambilla, M Bombelli, G Seravalle, R Cifkova, S Laurent, K Narkiewicz, R Facchetti, J Redon, **G Mancia**, G Grassi. Prevalence and clinical characteristics of patients with true resistant hypertension in central and Eastern Europe: data from the BP-CARE study. *J. Hypertens* 2013;31:2018-2024.
91. C. Tsigos, R. Bitzur, Y. Kleiman, H. Cohen, A. Cahn, G. Brambilla, **G. Mancia**, G. Grassi. Targets for body fat, blood pressure, lipids, and glucose-lowering interventions in healthy older people. *Diabetes Care*, 2013; 36, Suppl 2:S292-S300.

92. J Hata, H Arima, PM Rothwell, M Woodward, S Zoungas, C Anderson, A Patel, B Neal, P Glasziou, P Hamet, **G Mancia**, N Poulter, B Williams, S MacMahon, J Chalmers. Effects of visit-to-visit variability in systolic blood pressure on macrovascular and microvascular complications in patients with type 2 Diabetes Mellitus: the ADVANCE trial. *Circulation* 2013;128:1325-1334.
93. G Corrao, B Ibrahi, F Nicotra, A Zambon, L Merlini, T Scognamiglio Pasini, AL Catapano, **G Mancia**. Long-term use of statins reduces the risk of hospitalization for dementia. *Atherosclerosis* 2013;230:171-176.
94. G Grassi, G Seravalle, G Brambilla, R Corso, A Stella, **G Mancia**. Failure of monolateral renal nerve ablation to exert sympathoinhibitory and blood pressure lowering effects in a patient with resistant hypertension: A case report. *Int J Cardiol*. 2013; 169:e120-e121.
95. G Veronesi, F Gianfagna, LE Chambless, S Giampaoli, **G Mancia**, G Cesana, MM Ferrario. Long-term prediction of major coronary or ischaemic stroke event in a low-incidence Southern European population: model development and evaluation of clinical utility. *Brit Med J Open* 2013;3:e003630.
96. G Seravalle, C Carzaniga, G Sciortino, R Attanasio, LM Fatti, R Cozzi, M Montini, G Vitale, G Brambilla, F Cavagnini, **G Mancia**, G Grassi, M Scacchi. Differential patterns of regional neuroadrenergic cardiovascular drive in acromegalic disease. *Clin Exp Pharmacol Physiol*. 2013;40:333-337.
97. J Morton, MK Ng, J Chalmers, M Woodward M, **G Mancia**, NR Poulter, M Marre, ME Cooper, S Zoungas; ADVANCE collaborative group. The association of high-density lipoprotein cholesterol with cancer incidence in type II diabetes; a case of reverse causality? *Cancer Epidemiol Biomarkers Prev*. 2013;22: 1628-1633.
98. AJ Manolis, M Doumas, L Poulimenos, M Kallistratos, **G Mancia**. The unappreciated importance of blood pressure in recent and older atrial fibrillation trials. *J Hypertens*. 2013;31:2109-2117.
99. J Hata, H Arima, S Zoungas, G Fulcher, C Pollock, M Adams, J Watson, R Joshi, AP Kengne, T Ninomiya, C Anderson, M Woodward, A Patel, **G Mancia**, N Poulter, S MacMahon, J Chalmers, B Neal; ADVANCE Collaborative Group. Effects of the endpoint adjudication process on the results of a randomised controlled trial: the ADVANCE trial. *PLoS One*. 2013;8: e55807.
100. A Maloberti, C Giannattasio, D Dozio, M Betelli, P Villa, S Nava, F Cesana, R Facchetti, L Giupponi, F Castagna, F Sabbatini, A Bandera, A Gori, G Grassi, **G Mancia**. Metabolic syndrome in human immunodeficiency virus-positive subjects: prevalence, phenotype, and related alterations in arterial structure and function. *Metab Syndr Relat Disord*. 2013;11:403-411.
101. MJ Jardine, J Hata, M Woodward, V Perkovic, T Ninomiya, H Arima, S Zoungas, A Cass, A Patel, M Marre, **G Mancia**, CE Mogensen, N Poulter, J Chalmers for the ADVANCE Collaborative Group. Prediction of kidney-related outcomes in patients with type 2 diabetes. *Am J Kidney Dis*. 2012;60:770-778.
102. F Cesana, C Giannattasio, S Nava, F Soriano, G Brambilla, M Baroni, P Meani, M Varrenti, F Paleari, P Gamba, R Facchetti, M Alloni, G Grassi, **G Mancia**. Impact of blood glucose variability on carotid artery intima media thickness and distensibility in type 1 diabetes mellitus. *Blood Pressure*. 2013; 22:355-361.
103. M Böhm, F Mahfoud, C Ukena, A Bauer, E Fleck, UC Hoppe, U Kintscher, K Narkiewicz, M Negoiita, L Ruilope, LC Rump, M Schlaich, RE Schmieder, H Sievert, J Weil, B Williams, U Zeymer, **G Mancia**. Rationale and design of a large registry on renal denervation: the Global SIMPLICITY Registry. *EuroIntervention*. 2013; 22:484-492.
104. L Scotti, G Baio, L Merlini, G Cesana, **G Mancia**, G Corrao. Cost-effectiveness of enhancing adherence to therapy with blood pressure-lowering drugs in the setting of primary cardiovascular prevention. *Value Health*. 2013;16:318-324.
105. G Shlomai, G Grassi, E Grossman, **G Mancia**. Assessment of target organ damage in the evaluation and follow-up of hypertensive patients. Where do we stand?. *J Clin Hypertens* 2013;15:742-747.
106. Falcone C, Buzzi MP, Bozzini S, Boiocchi C, D'Angelo A, Schirinzi S, Choi J, Ochan Kilama M, Esposito C, Torreggiani M, **Mancia G**; TALENT Investigators. Relationship between sRAGE and eotaxin-3 with CRP in hypertensive patients at high cardiovascular risk. *J Nephrol*. 2013 ;26:144-151.
107. Grassi G, Seravalle G, Brambilla G , Buzzi S, Volpe M, Cesana F, Dell'Oro R, **Mancia G**. Regional differences in sympathetic activation in lean and obese normotensive individuals with obstructive sleep apnoea. *J. Hypertens* 2014, 32:383-388.
108. Blomster J, Zoungas S, Chalmers J, Li Q, Cow CK, Woodward M, **Mancia G**, Poulter N, Williams B, Harrap S, Neal B, Patel A, Hills GS. The relationship between alcohol consumption and vascular complications and mortality in individuals with type 2 diabetes mellitus. *Diabetes Care* 2014;37:1-7.

109. Corrao G, Soranna D, La Vecchia C, Catapano A, Agabiti-Rosei E, Gensini G, Merlini L, **Mancia G**. Medication persistence and the use of generic and brand-name blood pressure-lowering agents. *J Hypertens* 2014; 32:1146-1153.
110. Vishwan JK, Borglykke A, Adreasen AH, Jeppesen J, Ibsen H, Jorgensen T, Brode G, Palmieri L, Giampaoli S, Donfrancesco C, Kee F, **Mancia G**, Cesana G, Kuulasmaa K, Salomaa V, Sans S, Ferrieres J, Tamosiunas A, Söderberg S, McElduff P, Arvelier D, Pajak A, Olsen MH. Do other cardiovascular risk factors influence the impact of age on the association between blood pressure and mortality? The MORGAM project. *J Hypertens* 2014; 32:1034-1041.
111. Cuspidi C, Facchetti R, Bombelli M, Sala C, Grassi G, **Mancia G**. Accuracy and prognostic significance of electrocardiographic markers of left ventricular hypertrophy in a general population: findings from the Pressioni Arteriose Monitorate E Loro Associazioni (PAMELA) population. *J Hypertens* 2014;32:921-928.
112. J Chalmers, H. Arima, M. Woodward, **Mancia G**, N. Poulter, Y. Hirakawa, S. Zoungas, A.Patel, B.Williams, S. Harrap. Effects of combination of perindopril, indapamide, and calcium channel blockers in patients with type 2 diabetes mellitus: results from the Action in Diabetes and Vascular Disease: Preterax and Diamicron Controlled Evaluation (ADVANCE) trial. *Hypertension* 2014;63:259-264.
113. GS. Hillis, P. Welsh, J. Chalmers, V. Perkovic, CK. Chow, Q. Li, M. Jun, B. Neal, S. Zoungas, N. Poulter, **Mancia G**, B. Williams, N. Sattar, M. Woodward. The Relative and Combined Ability of High-Sensitivity Cardiac Troponin Y and N-Terminal Pro-B-Type Natriuretic Peptide to Predict Cardiovascular Events and Death in Patients with Type 2 Diabetes. *Diabetes Care*. 2014;37:295-303.
114. MT. Kratz, H. Schumacher, K. Silwa, RE. Schmieder, J. Pöss, F. Mahfoud, T. Unger, E. Lonn, T. Koon, **Mancia G**, P. Sleight, S.Yusuf, M. Böhm. Heart rate and blood pressure interactions in the development of erectile dysfunction in high-risk cardiovascular patients. *Eur J Prev Cardiol*. 2014;21:272-280.
115. KK Teo, M. Pfeiffer M, **Mancia G**, M. O'Donnell, G. Dagenais, R. Diaz, A. Dans, L. Liu, J. Bosch, P. Joseph, I. Copland, H. Jung, J. Pogue, S. Yusuf, on behalf of the A lis Kirin Prevention of Later Life Outcomes (APOLLO) trial Investigators. A lis Kirin alone or with other antihypertensives in the elderly with borderline and stage 1 hypertension: the APOLLO trial. *Eur. Heart J* 2014;35:1743-1751.
116. M. Bombelli, I. Ronchi, M.Volpe, R. Facchetti, S. Carugo, R. Dell'Oro, C. Cuspidi, G. Grassi, **Mancia G**. Prognostic value of serum uric acid: new-onset in and out-of-office hypertension and long-term mortality. *J Hypertens*. 2014;32:1237-1244.
117. G. Veronesi, F. Gianfagna, S. Giampaoli, LE. Chambliss, **Mancia G**, G. Cesana, M.M. Ferrario. Improving long-term prediction of first cardiovascular event: The contribution of family history of coronary heart disease and social status. *Prev Med* 2014;64:75-80.
118. **Mancia G**, A. Zambon, D. Soranna, L. Merlini and G.Corrao. Factors involved in the discontinuation of antihypertensive drug therapy: an analysis from real life data. *J. Hypertens* 2014, 32:1708-1716.
119. **Mancia G**, A. Coca, I.Chazova, X. Girerd, H. Haller, P. Pauletto, D. Pupek-Musialik, Y. Svyschenko. on behalf of the FELT investigators. Effect on office and home blood pressure of the lercanidipine-enalapril combination in patients with Stage 2 hypertension: a European randomized, controlled clinical trial. *J Hypertens* 2014; 32:1700-1707.
120. S. van Dieren, AP. Kengne, J. Chalmers, JW. Beulens, TM. Davis, G. Fulcher, SR. Heller, A. Patel, S. Colagiuri, P. Hamet, **Mancia G**, M. Marre, B. Neal, B. Williams, LM. Peelen, YT. van der Schouw, M. Woodward, S. Zoungas. Intensification of medication and glycaemic control among patients with type 2 diabetes - the ADVANCE trial. *Diabetes Obes Metab*. 2014;16: 426-432.
121. G. Tocci, N. De Luca, R. Sarzani, E. Ambrosioni, C. Borghi, S. Cottone, C. Cuspidi, F. Fallo, C. Ferri, A. Morganti, ML. Muiesan, L. Sechi, A. Virdis, **Mancia G**, M. Volpe. National Survey on Excellence Centers and Reference Centres for Hypertension Diagnosis and Treatment: Geographical Distribution. Medical Facilities and Diagnostic Opportunities. *High Blood Pressure Cardiovasc Prev*. 2014;21:29-36.
122. G. Seravalle, M. Colombo, P. Perego, V. Giardini, M. Volpe, R. Dell'Oro, **Mancia G**, G. Grassi. Long-term sympatho-inhibitory effects of surgically induced weight loss in severe obese patients. *Hypertension*. 2014;64:431-437.
123. G. Corrao, B Ibrahim, F Nicotra, D Soranna, L Merlini, AL Catapano, E Tragni, M Casula, G Grassi, **Mancia G**. Statins and the Risk of Diabetes: Evidence From a Large Population-Based Cohort Study. *Diabetes Care*. 2014;37:2225-2232.

124. Hirakawa Y, Arima H, Zoungas S, Ninomiya T, Cooper M, Hamet P, **Mancia G**, Poulter N, Harrap S, Woodward M, Chalmers J. Impact of Visit-to-Visit Glycemic Variability on the Risks of Macrovascular and Microvascular Events and All-Cause Mortality in Type 2 Diabetes: The ADVANCE Trial. *Diabetes Care*. 2014; 37:2359-65.
125. Zanchetti A, Liu L, **Mancia G**, Parati G, Grassi G, Stramba-Badiale M, Silani V, Bilo G, Corrao G, Zambon A, Scotti L, Zhang X, Wang H, Zhang Y, Zhang X, Guan TR, Berge E, Redon J, Narkiewicz K, Dominiczak A, Nilsson P, Viigimaa M, Laurent S, Agabiti-Rosei E, Wu Z, Zhu D, Rodicio JL, Ruilope LM, Martell-Claros N, Pinto F, Schmieder RE, Burnier M, Banach M, Cifkova R, Farsang C, Konradi A, Lazareva I, Sirenko Y, Dorobantu M, Postadzhian A, Accetto R, Jelakovic B, Lovic D, Manolis AJ, Stylianou P, Erdine S, Dicker D, Wei G, Xu C, Xie H, Coca A, O'Brien J, Ford G. Blood pressure and low-density lipoprotein-cholesterol lowering for prevention of strokes and cognitive decline: a review of available trial evidence. *J Hypertens*. 2014;32:1741-1750
126. Cuspidi C, Facchetti R, Bombelli M, Re A, Cairo M, Sala C, Tadic M, Grassi G, **Mancia G**. Aortic root diameter and risk of cardiovascular events in a general population: data from the PAMELA study. *J Hypertens* 2014;32:1879-1887
127. Zanchetti A, Liu L, **Mancia G**, Parati G, Grassi G, Stramba-Badiale M, Silani V, Bilo G, Corrao G, Zambon A, Scotti L, Zhang X, Wang H, Zhang Y, Zhang X, Guan TR, Berge E, Redon J, Narkiewicz K, Dominiczak A, Nilsson P, Viigimaa M, Laurent S, Agabiti-Rosei E, Wu Z, Zhu D, Rodicio JL, Ruilope LM, Martell-Claros N, Pinto F, Schmieder RE, Burnier M, Banach M, Cifkova R, Farsang C, Konradi A, Lazareva I, Sirenko Y, Dorobantu M, Postadzhian A, Accetto R, Jelakovic B, Lovic D, Manolis AJ, Stylianou P, Erdine S, Dicker D, Wei G, Xu C, Xie H, Coca A, O'Brien J, Ford G. Blood pressure and LDL-cholesterol targets for prevention of recurrent strokes and cognitive decline in the hypertensive patient: design of the European Society of Hypertension-Chinese Hypertension League Stroke in Hypertension Optimal Treatment randomized trial. *J Hypertens*. 2014;32:1888-1897
128. Cuspidi C, Facchetti R, Bombelli M, Sala C, Grassi G, **Mancia G**. Differential value of left ventricular mass index and wall thickness in predicting cardiovascular prognosis: data from the PAMELA population. *Am J Hypertens* 2014; 27:1079-1086.
129. Gronda E, Seravalle G, Brambilla G, Costantino G, Casini A, Alsheraei A, Lovett EG, **Mancia G**, Grassi G. Chronic baroreflex activation effects on sympathetic nerve traffic, baroreflex function, and cardiac haemodynamics in heart failure: a proof-on-concept study. *Eur Heart Failure* 2014;16: 977-983.
130. Vishram JJ, Borglykke A, Andreasen AH, Ibsen H, Jorgensen T, Palmieri L, Giampaoli S, Donfrancesco C, Kee F, **Mancia G**, Cesna G, Kuulasmaa K, on behalf of the MORGAM Project. Impact of Age and Gender on the Prevalence and Prognostic Importance of the Metabolic Syndrome and Its Components in Europeans. The MORGAM Prospective Cohort Project. *PLoS One*. 2014 Sep 22;9(9):e107294. doi: 10.1371/journal.pone.0107294. eCollection 2014
131. Corrao G, Soranna D, Merlini L, **Mancia G**. Similarity between generic and brand-name antihypertensive drugs for primary prevention of cardiovascular disease: evidence from a large population-based study. *Eur J Clin Invest*. 2014;44:933-939 doi:10.1111/eci12326
132. Radaelli A, **Mancia G**, Balestri G, Rovati A, Anzuini A, Di Renzo M, Paolini G and Castiglioni P. Cardiovascular variability is similarly altered in coronary patients with normal left ventricular function and in heart failure patients. *J Hypertens* 2014; 32: 2261-2266.
133. Gianfagna F, Veronesi G, Guasti L, Chambliss LE, Brambilla P, Corrao G **Mancia G**, Cesana G, Ferrario MM. Do apolipoproteins improve coronary risk prediction in subjects with metabolic syndrome? Insights from the North Italian Brianza cohort study. *Atherosclerosis*. 2014;236:175-181
134. Schmieder RE, Schutte R, Schumacher H, Böhm M, **Mancia G**, Weber MA, McQueen M, Teo K, Yusuf S; ONTARGET/TRANSCEND investigators. Mortality and morbidity in relation to changes in albuminuria, glucose status and systolic blood pressure: an analysis of the ONTARGET and TRANSCEND studies. *Diabetologia*. 2014;57:2019-2029
135. Bombelli M, Fodri D, Toso E, Macchiarulo M, Cairo M, Facchetti R, Dell'Oro R, Grassi G, **Mancia G**. Relationship among morning blood pressure surge, 24 hour blood pressure variability, and cardiovascular outcomes in a white population. *Hypertension* 2014; 64:943-950.
136. S. Zoungas, J. Chalmers, B. Neal, L. Billot, Q. Li, Y. Hirakawa, H. Arima, H. Monaghan, R. Joshi, S. Colagiuri, M.E. Cooper, P. Glasziou, D. Grobbee, P. Hamet, S. Harrap, S. Heller, L. Lisheng, **Mancia G**, M. Marre, D.R. Matthews, C.E. Mogensen, V. Perkovic, N. Poulter, A. Rodgers, B. Williams, S. MacMahon, A. Patel, and M. Woodward, for the ADVANCE-ON Collaborative Group Follow-up of Blood-Pressure

- Lowering and Glucose Control in Type 2 Diabetes. *New Eng J Med* 2014;371:1392-1406
 185.G Corrao, D Soranna, A Arfè, M Casula, E Tragni, L Merlini, **Mancia G**, AL Catapano.Are generic and brand name statins clinically equivalent? Evidence from a real life data-base.*Eur J Intern Med.* 2014; 25:745-750.
186. **Mancia G**, R Facchetti, G Parati, A Zanchetti. Effect of long-term antihypertensive treatment on White Coat Hypertension. *Hypertension*. 2014;64:1388-1398
187. M Bombelli, R Facchetti, C Cuspidi, P Villa, D Dozio, G Brambilla, G Grassi G, **Mancia G**. Prognostic Significance of Left Atrial Enlargement in a General Population: Results of the PAMELA Study.*Hypertension*. 2014; 64:1205-1211.
188. SE Kjeldsen, D Sica, H Haller, G Cha, B Gil-Extremera, P Harvey, F Heyvaert, AJ Lewin, G Villa, **Mancia G**; for the DISTINCT Investigators. Nifedipine plus candesartan combination increases blood pressure control regardless of race and improves the side effect profile: DISTINCT randomized trial results. *J Hypertens.* 2014;32:2488-2498.
189. G. Parati, G. Bilo, A. Faini, B Bilo, M Ravera, A. Giuliano, C. Lombardi, G. Caldara, F. Gregorini, K. Styczkiewicz, A. Zambon, A. Piperno, PA Modesti, P. Agostoni P, **Mancia G**. Changes in 24-h ambulatory blood pressure and effects of angiotensin II receptor blockade during acute and prolonged high-altitude exposure: a randomized clinical trial. *Eur Heart J* 2014;35:3113-.
190. G. Grassi, G. Seravalle, G. Brambilla, C. Pini, M. Alimento, R. Facchetti, D. Spaziani, C. Cuspidi, **Mancia G**. Marked sympathetic activation and baroreflex dysfunction in true resistant hypertension. *Int J Cardiol* 2014;177:1020-1025.
191. Seravalle G, Colombo M, Perego P, Giardini V, Volpe M, Dell'Oro R, **Mancia G**, Grassi G.Long-term sympatho-inhibitory effects of surgically induced weight loss in severe obese patients.*Hypertension*. 2014;64:431-437
192. **Mancia G**, Asmar R, Amodeo C, Mourad JJ, Taddei SI, Gamba MA, Chazova IE, Puig JG. Comparison of single-pill strategies first line in hypertension: perindopril/amlodipine versus valsartan/amlodipine. *J Hypertens* 2015, 33:1115-6
- 193.Verdecchia P, Reboli G, Angeli F, Trimarco B, **Mancia G**, Pogue J, Gao P, Sleight P, Teo K, Yusuf S. Systolic and diastolic blood pressure Changes in relation with myocardial infarction and stroke in patients with coronary artery disease. *Hypertension* 2015;65:108-114
194. Boehm M, Schumacher H, Leong D, **Mancia G**, Unger T, Schmieder R, Custodis F, Diener H-C, Laufs U, Lonn E, Sliwa K, Teo K, Fagard R, Redon J, Sleight P, Anderson C, O'Donnel M, Yusuf S. Systolic Blood Pressure variation and mean heart rate is associated with cognitive dysfunction in patients with high cardiovascular risk. *Hypertension* 2015;65: 651-661.
- 195.Maloberti A, Cesana F, Hametner B, Dozio D, Villa P, Hulpke-Wette M, Schwarz A, Selicorni A, Wassertheurer S, **Mancia G**, Giannattasio C. Increased nocturnal heart rate and wave reflection are markers of cardiovascular disease in Williams-Beuren syndrome children. *J Hypertens* 2015;33:804-809.
- 196.Denardo SJ, Gong Y, Cooper-DeHoff RM, Farsang C, Keltai M, Szirmai L, Messerli FH, Bavry AA, Handberg EM, **Mancia G**, Pepine CJ. Effects of verapamil SR and atenolol on 24-Hour blood pressure and heart rate in hypertension patients with coronary artery disease: an International Verapamil SR-Trandolapril ambulatory monitoring substudy. *PLoS One.* 2015, 10:e0122726. doi: 10.1371
197. Boehm M, Mahfoud F, Ukena C, Hoppe UC, Narkiewicz K, Negrota M, Ruilope L, Schlaich MP, Schmieder RE, Whitbourne R, Williams W, Zeymer U, Zirlik A and **Mancia G**, on behalf of the GSR Investigators. First Report of the Global SYMPLICITY Registry on the Effect of Renal Artery Denervation in Patients with Uncontrolled hypertension. *Hypertension* 2015; 65:766-774
- 198.Bilo G, Villafuerte FC, Faini A, Anza-Ramírez C, Revera M, Giuliano A, Caravita S, Gregorini G, Lombardi C, Salvioni E, Macarlungu JL, Ossoli D, Landaveri L, Lang M, Agostoni P, Sosa JM, **Mancia G**, Parati G. Ambulatory Blood Pressure in untreated and treated hypertensive patients at high altitude. The High Altitude Cardiovascular Research-Andes Study. *Hypertension* 2015, 65:1266-1272
- 199.Cuspidi C, Facchetti R, Bombelli M, Sala C, Tadic M, Grassi G, **Mancia G**. Prognostic value of left ventricular mass normalized to different body size indexes: findings from the PAMELA population. *J Hypertens.* 2015,33:1082-1089.
- 201.Grassi G, Seravalle G, Brambilla G, Trabattoni D, Cuspidi C, Corso R, Pieruzzi F, Genovesi S, Stella A, Facchetti R, Spaziani D, Bartorelli A, **Mancia G**. Blood Pressure Responses to Renal Denervation precede and are independent on the Sympathetic and Baroreflex Effects. *Hypertension* 2015,65:1209-1216.
- 202.Seravalle G, Lonati L, Buzzi S, Cairo M, Quarti-Trevano F, Dell'Oro R, Facchetti R, **Mancia G**, Grassi G. Sympathetic nerve traffic and baroreflex function in optimal, normal and high-normal blood pressure states. *J Hypertens* 2015, 33:1411-1417
- 203.Maloberti A, Dozio D, Betelli M, Bandera A, Squillace N, Gori A, Castoldi G, Stella A, **Mancia G**, Giannattasio C. Brachial and central blood pressure in HIV-injected G. *Hypertens Res* 2015;38:405-412
204. Boehm M, Schumacher H, Schmieder, RE Mann JFE, **Mancia G** et al.Resting heart rate is associated with renal disease outcomes in patients with vascular disease: results of the ONTARGET and

Commentato [G1]: Aggiustare numerazione progressiva

TRANSCEND studies. J. Int Med. 2015;278:38-49

205. Gronda E, Seravalle G, Quarti-Trevano F, Costantino G, Casini A, Alsheraei A, Lovett EG, Vanoli E, **Mancia G**, Grassi G. Long-term chronic baroreflex activation: persistent efficacy in patients with heart failure and reduced ejection fraction. J Hypertens 2015;33: 1704-1708.

206 **Mancia G**, Facchetti R, Grassi G, Bombelli M. Adverse prognostic value of persistent office blood pressure elevation in white coat hypertension. Hypertension 2015;66:437-444.

207. Bombelli M, Maloberti A, Rossi S, Rea F, Corrao G, Bonicelli Della Vite C, **Mancia G**, Grassi G. Clinical value of NT-proBNP assay in the emergency department for the diagnosis of heart failure (HF) in very elderly people. Arch Gerontol Geriatr 2015; 61:296-300.

208. Grassi G, Seravalle G, Quarti-Trevano F, Spaziani D, Scalise F, Auguaduro C, Pizzini P, Tripepi G, D'Arrigo C, Mallamaci F, **Mancia G**, Zoccali C. Asymmetric and Symmetric Dimethylarginine and Sympathetic Nerve Traffic after Renal Denervation in patients with Resistant Hypertension. Clin J Am Soc Nephrol. 2015;10: 1560-1567

209. Hoshide S, Kario K, de la Sierra A, Bilo G, Schillaci G, Banegas JR, Gorostidi M, Segura J, Lombardi C, Omboni S, Ruilope L, **Mancia G**, Parati G. Ethnic differences in the degree of morning Blood Pressure Surge and in its determinants between Japanese and European hypertensive subjects. Data from the ARTEMIS study. Hypertension 2015;66:750-756.

210. Grassi G, Seravalle G, Maloberti A, Facchetti R, Cuspidi C, Bombelli M, Laurent S, Redon J, **Mancia G**. Within- visit BP variability, cardiovascular risk factors, and BP control in central and eastern Europe: findings from the BP-CARE study. J Hypertens 2015;33: 2250-2256.

211. Tocci G, Ferrucci A, Pontremoli R, Ferri C, Rosei EA, Morganti A, Trimarco B, **Mancia G**, Borghi C., Volpe M. Blood pressure levels and control in Italy: comprehensive analysis of clinical data from 200-2005 and 2005-2011 hypertension survey. J Hum Hypertens 2015;29:696-701

212. Cuspidi C, Facchetti R, Bombelli M, Sala C, Tadic M, Grassi G, **Mancia G**. Risk of mortality in relation to an updated classification of left ventricular geometric abnormalities in a general population: the PAMELA study. J Hypertens 2015;33: 2133-2140.

213. Cuspidi C, Sala C, Tadic M, Grassi G, **Mancia G**. Systemic hypertension induced by Harpagophytum procumbens (devil's claw): a Case Report. 2. J Clin Hypertens 2015;17:908-910

214. Vishram J.K.K., Dalhöf B, Devereux R.B., Ibsen H, Kjeldsen SE, Lindholm LH, **Mancia G**, Okin PM, Rothwell PM, Watchell K, Olsen MH. Blood pressure variability predicts cardiovascular events independently of traditional cardiovascular risk factors and target organ damage. A LIFE substudy. J Hypertens 2015;33:2422-2430

215. Ewen S, Dörr O, Ukena C, Linz D, Cremers B, Laufs U, Hamm C, Nef H, Bauer A, **Mancia G**, Böhm, M, Mahfoud F. Blood pressure variability after catheter-based renal sympathetic denervation in patients with resistant hypertension. J Hypertens 2015;33: 2512-2518

223. Maloberti A, Meani P, Pirola R, Varrenti M, Boniardi M, De Biase AM, Vallerio P, Bonacina E, **Mancia G**, Loli P, Giannattasio C. Acute coronary syndrome: a rare case of multiple endocrine neoplasia syndrome with pheochromocytoma and medullary thyroid carcinoma. Cancer Biol Med 2015;12:255-258.

224. Corrao G, Mazzola P, Monzio Compagnoni M, Rea F, Merlino M, Annuni G, **Mancia G**. Antihypertensive medications, loop diuretics, and risk of hip fracture in the elderly: a population-based cohort study of 81,617 Italian patients newly treated between 2005 and 2009. Drugs Aging 2015;32:927-936

225. Corrao G, Rea F, Ghirardi A, Soranna D, Merlino L, **Mancia G**. Adherence with antihypertensive drug therapy and the risk of heart failure in clinical practice. Hypertension. 2015;66:742-749.

226. Caravita S, Faini A, Bilo G, Villafuerte FC, Macarlupe JL, Lang M, Salvioni E, Revera M, Giuliano A, Gregorini F, **Mancia G**, Agostoni P, Parati G. Blood Pressure Response to Exercise in Hypertensive Subjects Exposed to High Altitude and Treatment Effects. J Am Coll Cardiol. 2015;66:2806-2807

227. Kim BK, Böhm M, Mahfoud F, **Mancia G**, Park S, Hong MK, Kim HS, Park SJ, Park CG, Seung KB, Gwon HC, Choi DJ, Ahn TH, Kim CJ, Kwon HM, Esler M, Jang YS. Renal denervation for treatment of uncontrolled hypertension in an Asian population: results from the Global SYMPLICITY Registry in South Korea (GSR Korea). J Hum Hypertens. 2015;1-7

228. Baroni M, Nava S, Giupponi L, Meani P, Panzeri F, Varrenti M, Maloberti A, Soriano F, Agrati AM, Ferraro G, Colombo F, Rampoldi A, **Mancia G**, Colombo P, Klugmann S, Giannattasio C. Effects of renal sympathetic denervation on arterial stiffness and blood pressure control in resistant hypertension patients: a single center prospective study. High Blood Pressure Cardiovasc Prev 2015;22:411- 416.

229. **Mancia G**, Omboni S, Chazova I, Coca A, Girer X, Haller H, Parati G, Pauletto P, Pupek-Musialik D, Svyschenko Y, on behalf of the FELT Study Group. Effects of the lercanidipine-enalapril combination vs the corresponding monotherapies on home blood pressure in hypertension: evidence from a large database. J Hypertens 2016;34:139-148

230. Zanchetti A, Liu L, Mancia G, Parati G, Grassi G, Stramba-Badiale M, Silani V, Bilo G, Corrao G, Zambon A, Scotti L, Zhang X, Guan TR, Zhang Y, Zhang X, Berge E, Redon J, Narkiewicz K, Dominiczak A, Nilsson P, Viigimaa M, Laurent S, Agabiti-Rosei E, Wu Z, Zhu D, Rodicio JL, Ruilope LM, Martell-Claros N, Pinto F, Schmieder RE, Burnier M, Banach M, Cifkova R, Farsang C, Konradi A, Lazareva I, Sirenko Y, Dorobantu M, Postadzhyan A, Accetto R, Jelakovic B, Lovic D, Manolis AJ, Stylianou P, Dicker D, Wei G, Xu C, Xie H, Coca A, O'Brien J, Ford G; ESH-CHL-SHOT trial investigators. Continuation of the ESH-CHL-SHOT trial after publication of the SPRINT: rationale for further study on blood pressure targets of antihypertensive treatment after stroke. *J Hypertens.* 2016;34:393-396.
231. Moreo A, Vallerio P, Ricotta R, Stucchi M, Pozzi M, Musca F, Meani P, Maloberti A, Facchetti R, Di Bella S, Giganti MO, Sartore-Bianchi A, Siena S, **Mancia G**, Giannattasio C. Effects of Cancer Therapy Targeting Vascular Endothelial Growth Factor Reception on central blood pressure and cardiovascular system. *Am. J Hypertens* 2016; 29:158-162
232. Kjeldsen SE, Berge E, Bangalore S, Messerli FH, Mancia G, Holzhauer B, Hua TA, Zappe D, Zanchetti A, Weber MA, Julius S. No evidence for a J-shaped curve in treated hypertensive patients with increased cardiovascular risk: The VALUE trial. *Blood Pressure.* 2016;25:83-92.
233. **Mancia G**, Grassi G. Differential effects of enalapril-felodipine versus enalapril-lercanidipine combination drug treatment on sympathetic nerve traffic and metabolic profile in obesity-related hypertension. *J Am Soc Hypertens.* 2016;10:244-251.
234. Seravalle G, Piperno A, Mariani R, Pelloni I, Facchetti R, Dell'Oro R, Cuspidi C, **Mancia G**, Grassi G. Alterations in sympathetic nerve traffic in genetic haemochromatosis before and after iron depletion : a microneurographic study. *Eur Heart J* 2016;37:988-995..
235. Blomster J, Woodward M, Zoungas S, Hillis G, Neal B, Poultner N, **Mancia G**, Chalmers J, Huxley R. The Harms of Smoking and Benefits of Smoking Cessation in Women Compared with Men with Type 2 Diabetes: an observational analysis of the ADVANCE (Action in Diabetes and Vascular Disease: Preterax and Diamicron modified release Cotrolled Evaluation) trial. *Brit Med J Open.* 2016 Jan 8;6:e009668.
236. Hirakawa Y, Arima H, Webster R, Zoungas S, Li Q, Harrap S, Lisheng Liu, Hamet P, **Mancia G**, Poultner N, Neal B, Williams B, Rogers A, Woodward M, Chalmers J. Risk associated with permanent discontinuation of blood pressure-lowering medications in patients with type 2 diabetes. *J Hypertens* 2016;34:781-787.
237. Cuspidi C, Facchetti R, Bombelli M, Sala C, Tadic M, Grassi G, **Mancia G**. Does QRS Voltage Correction by Body Mass Index improve the accuracy of electrocardiography in detecting Left Ventricular Hypertrophy and predicting Cardiovascular Events in a General Population? *J Clin Hypertens* 2016;18:416-421
238. Cuspidi C, Facchetti R, Bombelli M, Sala C, Tadic M, Grassi G, **Mancia G**. Prevalence and correlates of new-onset left ventricular geometric abnormalities in a general population: the PAMELA study. *J Hypertens* 2016;34:1423-1431
239. Osculati G, Revera M, Branzi G, Faini A, Malfatto G, Bilo G, Giuliano A, Gregorini F, Ciambellotti F, Lombardi C, Agostoni P, **Mancia G**, Parati G. Effects of hypobaric hypoxia exposure at high altitude on left ventricular twist in healthy subjects: data from HIGHCARE study on Mount Everest. *Eur Heart J - Cardiovasc Imaging* 2016;17:635-643
240. **Mancia G.**, Kjeldsen SE, Zappe DH, Holzhauer B, Hua TA, Zanchetti A, Julius S, Weber MA. Cardiovascular outcomes at different on-treatment blood pressures in the hypertensive patients of the VALUE trial. *Eur Heart J* 2016;37:955-964
241. Wong MG, Perkovic V, Chalmers J, Woodward M, Li Q, Cooper M, Hamet P, Harrap S, Heller S, McMahon S, **Mancia G**, Marre M, Matthews D, Neal B, Poultner N, Rodgers A, Williams B, Zoungas S for the ADVANCE-ON Collaborative Group. Long term benefits of intensive glucose control for preventing end-stage kidney disease: ADVANCE-ON. *Diabetes Care* 2016;39:694-700
242. Kjeldsen SE, Cha G, Villa G, Mancia G; DISTINCT Investigators. Nifedipine GITS/Candesartan Combination Therapy Lowers Blood Pressure Across Different Baseline Systolic and Diastolic Blood Pressure Categories: DISTINCT Study Subanalyses. *J Clin Pharmacol.* 2015;56:1120-1129
243. Omboni S, Aristizabal D, De la Sierra A, Dolan E, Head G, Kahan T, Kantola I, Kario K, Kawecka-Jaszcz K, Malan L, Narkiewicz K, Octavio JA, Ohkubo T, Palatini P, Siégelová J, Silva E, Stergiou G, Zhang Y, **Mancia G**, Parati G; ARTEMIS (international Ambulatory blood pressure Registry: TEleMonitoring of hypertension and cardiovascular rISk project) Investigators. Hypertension types defined by clinic and ambulatory blood pressure in 14143 patients referred to hypertension clinics worldwide. Data from the ARTEMIS study. *J Hypertens.* 2016;34:2187-2198.

244. Mohammedi K, Woodward M, Hirakawa Y, Zoungas S, Williams B, Lisheng L, Rodgers A, **Mancia G**, Neal B, Harrap S, Marre M, Chalmers J; ADVANCE Collaborative Group. Microvascular and Macrovascular Disease and Risk for Major Peripheral Arterial Disease in Patients with Type 2 Diabetes. *Diabetes Care*. 2016;39:1796-803.
245. Vallerio P, Sarno L, Stucchi M, Musca F, Casadei F, Maloberti A, Lestuzzi C, **Mancia G**, Moreo A, Palazzi M, Giannattasio C. Long-Term Effects of Radiotherapy on Arterial Stiffness in Breast Cancer Women. *Am J Cardiol*. 2016;118:771-776.
246. Bombelli M, Cuspidi C, Facchetti R, Sala C, Tadic M, Brambilla G, Re A, Villa P, Grassi G, **Mancia G**. New-onset left atrial enlargement in a general population. *J Hypertens*. 2016;34: 1838-1845.
247. Bombelli M, Maloberti A, Raina L, Facchetti R, Boggioni I, Pizzala DP, Cuspidi C, **Mancia G**, Grassi G. Prognostic relevance of electrocardiographic Tpeak-Tend interval in the general and in the hypertensive population: data from the Pressioni Arteriose Monitorate E Loro Associazioni study. *J Hypertens*. 2016;34:1823-1830
248. Cuspidi C, Facchetti R, Sala C, Bombelli M, Tadic M, Grassi G, **Mancia G**. Do Combined Electrocardiographic and Echocardiographic Markers of Left Ventricular Hypertrophy Improve Cardiovascular Risk Estimation? *J Clin Hypertens*. 2016;18:846-854
249. Gronda E, Brambilla G, Seravalle G, Maloberti A, Cairo M, Costantino G, Lovett E, Vanoli E, **Mancia G**, Grassi G. Effects of chronic carotid baroreceptor activation on arterial stiffness in severe heart failure. *Clin Res Cardiol*. 2016;105:838-846.
250. Böhm M, Ukena C, Ewen S, Linz D, Zivanovic I, Hoppe U, Narkiewicz K, Ruilope L, Negoita M, Schmieder R, Williams B, Zeymer U, Zirlik A, **Mancia G**, Mahfoud F; Global SYMPLICITY Registry Investigators. Renal denervation reduces office and ambulatory heart rate in patients with uncontrolled hypertension: 12-month outcomes from the global SYMPLICITY registry. *J Hypertens*. 2016;34:2480-2486
251. **Mancia G**, Cannon CP, Tikkanen I, Zeller C, Ley L, Woerle HJ, Broedl UC, Johansen OE. Impact of empagliflozin on blood pressure in patients with Type 2 diabetes mellitus and hypertension by background antihypertensive medication. *Hypertension* 2016;68:1355-1364.
252. van der Leeuw J, Visseren FL, Woodward M, van der Graaf Y, Grobbee DE, Harrap S, Heller S, **Mancia G**, Marre M, Poultier N, Zoungas S, Chalmers J. Estimation of individual beneficial and adverse effects of intensive glucose control for patients with type 2 diabetes. *Diabetologia*. 2016;59:2603-2612
253. Seravalle G, Brambilla G, Prata Pizzalla D, Casati A, Riva M, Cuspidi C, Bombelli M, **Mancia G**, Grassi G. Differential effects of enalapril-felodipine vs enalapril-lercandipine combination drug treatment on sympathetic nerve traffic and metabolic profile in obesity-related hypertension. *J Am Soc Hypertens* 2016; 10:244-251.
254. Linz, D, **Mancia G**, Mahfoud F, Narkiewicz K, Ruilope L, Schlaich M, Kindermann I, Schmieder RE, Ewen S, Williams B, Boehm M on behalf of the Global SIMPLICITY Registry Investigators. Renal artery denervation for treatment of patients with self-reported obstructive sleep apnea and resistant hypertension: results from the Global SYMPLICITY Registry. *J Hypertens* 2017;35: 148-153.
255. Mahfoud F, Bakris G, Bhatt DL, Esler M, Ewen S, Fahy M, Kandzari D, Kario K, Mancia G, Weber M, Böhm M. Reduced blood pressure-lowering effect of catheter-based renal denervation in patients with isolated systolic hypertension: data from SYMPLICITY HTN-3 and the Global SYMPLICITY Registry. *Eur Heart J*. 2017;38:93-100
256. Maloberti A, Meani P, Vallerio P, Varrenti M, Casadei F, Musca F, Facchetti R, Di Blasio AM, Ravassa S, **Mancia G**, Giannattasio C. Annexin A5 in treated hypertensive patients and its association with target organ damage. *J Hypertens*. 2017;35:154-161.
257. Cuspidi C, Facchetti R, Bombelli M, Sala C, Tadic M, Grassi G, **Mancia G**. Is night-time hypertension worse than daytime hypertension? A study on cardiac damage in a general population: the PAMELA study. *J Hypertens*. 2017;35:506-512
258. **Mancia G**, Cha G, Gil-Extremera B, Harvey P, Lewin AJ, Villa G, Kjeldsen SE. Blood pressure-lowering effects of nifedipine/candesartan combinations in high-risk individuals: subgroup analysis of the DISTINCT randomised trial. *J Hum Hypertens*. 2017;31:178-1
259. Mahfoud F, Bakris G, Bhatt DL, Esler M, Ewen S, Fahy M, Kandzari D, Kario K, **Mancia G**, Weber M, Boehm M. Reduced blood pressure-lowering effect of catheter-based renal denervation in patients with isolated systolic hypertension : data from SIMPLICITY HTN-3 and the Global SIMPLICITY Registry. *Eur Heart J* 2017;38:93-100
260. Cuspidi C, Facchetti R, Bombelli M, Sala C, Tadic M, Grassi G, Mancia G. Uric Acid and New Onset Left Ventricular Hypertrophy: Findings From the PAMELA Population. *Am J Hypertens*. 2017;30:279-285

261. Mariampillai JE, Eskás PA, Heimark S, Kjeldsen SE, Narkiewicz K, **Mancia G**. A Case for Less Intensive Blood Pressure Control: It Matters to Achieve Target Blood Pressure Early and Sustained Below 140/90mmHg. *Prog Cardiovasc Dis.* 2017;26:133-138
262. Cuspidi C, Sala C, Casati A, Bombelli M, Grassi G, **Mancia G**. Clinical and prognostic value of hypertensive cardiac damage in the PAMELA study. *Hypertension Research.* 2011;40:329-335
263. Atkins ER, Hirakawa Y, Salam A, Woodward M, Cooper M, Hamet P, Harrap S, Lees K, Liu L, **Mancia G**, Marre M, Perkovic V, Poultier N, Williams B, Chalmers J, Rodgers A. Side effects and tolerability of combination blood pressure lowering according to blood pressure levels: an analysis of the perindopril protection against recurrent stroke study and action in diabetes and vascular disease: preterax and diamicron-MR controlled evaluation trials. *J Hypertens.* 2017;35:1318-1325.
264. Corrao G, Rea F, Monzio Compagnoni M, Merlino L, Mancia G. Protective effects of antihypertensive treatment in patients aged 85 years or older. *J Hypertens.* 2017;35:1432-1444
265. Quarti Trevano F, Seravalle G, Macchiarulo M, Villa P, Valena C, Dell'Oro R, **Mancia G**, Grassi G. Reliability of heart rate as neuroadrenergic marker in the metabolic syndrome. *J Hypertens.* 2017;35:1685-1690
266. Grassi G, Seravalle G, Brambilla G, Dell'Oro R, Trevano FQ, Fici F, van Bortel L, **Mancia G**. Multicenter Randomized Double-Blind Comparison of Nebivolol plus HCTZ and Irbesartan plus HCTZ in the Treatment of Isolated Systolic Hypertension in Elderly Patients: Results of the NEHIS Study. *Adv Ther.* 2017; 33:2173-2187.
267. Revera M, Salvi P, Faini A, Giuliano A, Gregorini F, Bilo G, Lombardi C, **Mancia G**, Agostoni P, Parati G on behalf of the HIGHCARE Himalaya Investigators. Renin-Angiotensin-Aldosterone System is not involved in the Arterial Stiffening Induce by Acute and Prolonged Exposure to High Altitude. *Hypertension* 2017;70:75-84
268. Seravalle G, D'Arrigo G, Tripepi G, Mallamaci F, Brambilla G, **Mancia G**, Grassi G, Zoccali G. Sympathetic nerve traffic and blood pressure changes after bilateral renal denervation in resistant hypertension : a time-integrated analysis. *Nephrol Dial Transplant* 2017; 32:1351-1356.
269. Ohkuma T, Jun M, Woodward M, Zoungas S, Cooper ME, Grobbee DE, Hamet P, **Mancia G**, Williams B, Welsh P, Sattar N, Shaw JE, Rahimi K, Chalmers J; ADVANCE Collaborative Group. Cardiac Stress and Inflammatory Markers as Predictors of Heart Failure in Patients With Type 2 Diabetes: The ADVANCE Trial. *Diabetes Care.* 2017;40:1203-1209
270. Ohkuma T, Woodward M, Jun M, Muntror P, Hata J, Colagiuri S, Harrap S, **Mancia G**, Poultier N, Williams B, Rothwell P, Chalmers J. Prognostic Value of Variability in Systolic Blood Pressure Related to Vascular Events and Premature Death in Type 2 Diabetes Mellitus: The ADVANCE-ON Study. *Hypertension.* 2017;70:461-468.
271. Böhm M, Schumacher H, Teo KK, Lonn EM, Mahfoud F, Mann JF, **Mancia G**, Redon J, Schmieder RE, Sliwa K, Weber MA, Williams B, Yusuf S. Achieved blood pressure and cardiovascular outcomes in high-risk patients: results from ONTARGET and TRANSCEND trials. *Lancet.* 2017;389:2226-2237.
272. Tadic M, Cuspidi C, Pencic-Popovic B, Celic V, Mancia G. The influence of night-time hypertension on left ventricular mechanics. *Int J Cardiol.* 2017;243:443
273. Corrao G, Monzio Compagnoni M, Rea F, Merlino L, Catapano AL, **Mancia G**. Clinical significance of diabetes likely induced by statins: Evidence from a large population-based cohort. *Diabetes Res Clin Pract.* 2017;133:60-68
274. Cuspidi C, Quarti F, Dell'Oro R, Facchetti R, Bombelli M, Sala C, Tadic M, Grassi G, Mancia G. Long-term changes in left ventricular mass echocardiographic findings from a general population. *J Hypertens.* 2017;35:2303-2309
275. **Mancia G**, Schumacher H, Boehm M, Redon J, Schmieder RE, Verdecchia P, Sleight P, Teo K, Yusuf S. Relative and combined prognostic importance of on-treatment mean and visit-to-visit blood pressure variability in ONTARGET and TRANSCEND patients. *Hypertension* 2017;70:938-948.
276. Cuspidi C, Facchetti R, Bombelli M, Sala C, Tadic M, Grassi G, Mancia G. Uric Acid and New Onset Left Ventricular Hypertrophy: Findings From the PAMELA Population. *Am J Hypertens.* 2017;30:279-285.
277. Cuspidi C, Sala C, Casati A, Bombelli M, Grassi G, **Mancia G**. Clinical and prognostic value of hypertensive cardiac damage in the PAMELA Study. *Hypertens Res.* 2017;40:329-335.
278. Kindermann I, Wedegaertner S, Mahfoud F, Weil J, Brilakis N, Ukena J, Ewen S, Linz D, Fahy M, **Mancia G**, Boehm M. Improvement in health-related quality of life after renal sympathetic denervation in real-world hypertensive patients: 12-month outcomes in the Global SYMPLICITY Registry. *J Clin Hypertens* 2017;19:833-839

279. Tadic M, Cuspidi C, Pencic-Popovic B, Celic V, Mancia G. The relationship between nighttime hypertension and left atrial function. *J Clin Hypertension* 2017;19:1096-1104
280. Dell'Oro R, Gronda E, Seravalle G, Costantino G, Alberti L, Baronio B, Staine T, Vanoli E, **Mancia G**, Grassi G. Restoration of normal sympathetic neural function in heart failure following baroreflex activation therapy: final 43-month study report. *J Hypertens* 2017; 35:2532-2536
281. Mohammedi K, Woodward M, Marre M, Colagiuri S, Cooper M, Harrap S, **Mancia G**, Poulter N, Williams B, Zoungas S, Chalmers J. Comparative effects of microvascular and macrovascular disease on the risk of major outcomes in patients with type 2 diabetes. *Cardiovasc Diabetol*. 2017; 16:95-104
282. Corrao G, Rea F, Di Martino M, De Palma R, Scondotto S, Fusco D, Lallo A, Belotti LMB, Ferrante M, Pollina Addario S, Merlino L, **Mancia G**, Carle F. Developing and validating a novel multisource comorbidity score from administrative data: a large population-based cohort study from Italy. *BMJ Open*. 2017;7:e019503. doi: 10.1136/bmjopen-2017-019503.
283. Tadic M, Cuspidi C , Celic V, Pencic-Popovic B, **Mancia G**. Nocturnal hypertension and right heart remodeling. *J. Hypertens* 2018; 36:136-142
284. Tsiofis C, Andrikou I, Pruijm M, Ponte B, Sarafidis P, Koureas A, Tousoulis D, Agabiti-Rosei E, **Mancia G**, Burnier M. Should renal color doppler ultrasonography be a routine test in newly diagnosed hypertensives ? *J Hypertens* 2018;36:16-22
285. Meani P, Maloberti A, Sormani P, Colombo G, Giupponi L, Stucchi M, Varrenti M, Vallerio P, Facchetti R, Grassi G, **Mancia G**, Giannattasio C. Determinants of carotid-femoral pulse wave velocity progression in hypertensive patients over a 3.7 years follow-up. *Blood Pressure* 2018;27:32-40
286. Jun M, Ohkuma T, Zoungas S, Colagiuri S, **Mancia G**, Marre M, Matthews D, Poulter N, Williams B, Rodgers A, Perkovic V, Chalmers J, Woodward M; ADVANCE Collaborative Group. Changes in albuminuria and the risk of major clinical outcomes in diabetes: results from ADVANCE-ON. *Diabetes Care* 2018;41:163-170.
287. Corrao G, Monzio Compagnoni M, Franchi M, Cantarutti A, Pugni P, Merlino M, Catapano AL, **Mancia G**. Good adherence to therapy with statins reduces the risk of adverse clinical outcomes even among very elderly. Evidence from an Italian real life investigation. *Eur J of Int Medicine* 2018;47:25-31
288. Dell'Oro R, Trevano FQ, Gamba P, Ciuffarella C, Seravalle G, **Mancia G**, Grassi G. Sympathetic and baroreflex abnormalities in the uncomplicated prediabetic state. *J Hypertens*. 2018;36:1195-1200
289. Bombelli M, Quart-Trevano F, Tadic M, Facchetti R, Cuspidi C, **Mancia G**, Grassi G. Uric acid and risk of new-onset metabolic syndrome, impaired fasting glucose and diabetes mellitus in a general Italian population: data from the Pressioni Arteriose Monitorate E Loro Associazioni study. *J Hypertens*. 2018;36:1492-1498
290. Mohammedi K, Chalmers J, Herrington W, Li Q, **Mancia G**, Marre M, Poulter N, Rodgers A, Williams B, Perkovic V, Coresh J, Woodward M. Associations between body mass index and the risk of renal events in patients with type 2 diabetes. *Nutr Diabetes*. 2018 Jan 17;8:7; doi:10.1038/s41387-017-
291. Cuspidi C, Facchetti R, Bombelli M, Sala C, Tadic M, Grassi G, **Mancia G**. Night-time heart rate nondipping: clinical and prognostic significance in the general population. *J Hypertens*. 2018;36:1311-1317
292. Bombelli M, Facchetti R, **Mancia G**, Grassi G. Big data and blood pressure control: insights from the PAMELA and BP-CARE study cohorts. *Curr Hypertens Rep* 2018;20:82.
293. Maloberti A, Farina F, Carbonaro M, Piccinelli E, Bassi I, Pansera F, Grassi G, **Mancia G**, Palestini P, Giannattasio C. In healthy normotensive subjects age and blood pressure better predict subclinical vascular and cardiac organ damage than atherosclerosis biomarkers. *Blood Pressure*.
294. Rea F, Corrao G, Merlino L, **Mancia G**. Initial Antihypertensive Treatment Strategies and Therapeutic Inertia. *Hypertension*. 2018 ;72:846-853
295. Laurent S, **Mancia G**, Poulter N. Perindopril 3.5mg/amlodipine 2.5mg versus renin-angiotensin system inhibitor monotherapy as first-line treatment in hypertension: a combined analysis. *J Hypertens.*;36:1915-1920.
296. Rea F, Corrao G, Merlino L, **Mancia G**. Early cardiovascular protection by initial two-drug fixed-dose combination treatment vs monotherapy in hypertension, *Eur Heart J* 2018;39:3654-3661.
297. Cuspidi, C., Facchetti, R., Bombelli, M., Sala, C., Tadic, M., Grassi, G. **Mancia G**. Risk of new-onset metabolic syndrome associated with white-coat and masked hypertension: data from a general population. *J Hypertens*; 2018;36:1833-1839.
298. Parati G, Agabiti-Rosei E, Bakris GL, Bilo G, Branzi G, Cecchi F, Chrostowska M, De la Sierra A, Domenech M, Dorobantu M, Faria T, Huo Y, Jelaković B, Kahan T, Konradi A, Laurent S, Li N, Madan K, **Mancia G**, McManus RJ, Modesti PA, Ochoa JE, Octavio JA, Omboni S, Palatini P, Park JB,

- Pellegrini D, Perl S, Podoleanu C, Pucci G, Redon J, Renna N, Rhee MY, Rodilla Sala E, Sanchez R, Schmieder R, Soranna D, Stergiou G, Stojanovic M, Tsiofis K, Valsecchi MG, Veglio F, Waisman GD, Wang JG, Wijnmaalen P, Zambon A, Zanchetti A, Zhang Y (2018). MASKed-unconTrolled hypERTension management based on office BP or on ambulatory blood pressure measurement (MASTER) Study: a randomised controlled trial protocol. *Brit Med J OPEN*, 2018, 8, e021038. doi:10.1136/bmjopen-2017-021038.
299. Parati G, Agabiti-Rosei E, Bakris GL, Bilo G, Branzi G, Cecchi F, Chrostowska M, De la Sierra A, Domenech M, Dorobantu M, Faria T, Huo Y, Jelaković B, Kahan T, Konradi A, Laurent S, Li N, Madan K, **Mancia G**, McManus RJ, Modesti PA, Ochoa JE, Octavio JA, Omponi S, Palatini P, Park JB, Pellegrini D, Perl S, Podoleanu C, Pucci G, Redon J, Renna N, Rhee MY, Rodilla Sala E, Sanchez R, Schmieder R, Soranna D, Stergiou G, Stojanovic M, Tsiofis K, Valsecchi MG, Veglio F, Waisman GD, Wang JG, Wijnmaalen P, Zambon A, Zanchetti A, Zhang Y. MASKed-unconTrolled hypERTension management based on office BP or on ambulatory blood pressure measurement (MASTER) Study: a randomised controlled trial protocol. *Brit Med J Open*. 2018, 8 :e021038. doi: 10.1136/bmjopen-2017-021038.
300. Ohkuma T, Jun M, Rodgers A, Cooper ME, Glasziou P, Hamet P, Harrap S, **Mancia G**, Marre M, Neal B, Perkovic V, Poultier N, Williams B, Zoungas S, Chalmers J, Woodward M; ADVANCE Collaborative Group. Acute Increases in Serum Creatinine After Starting Angiotensin-Converting Enzyme Inhibitor-Based Therapy and Effects of its Continuation on Major Clinical Outcomes in Type 2 Diabetes Mellitus. *Hypertension*. 2019;73:84-91.
301. Tadic M, Cuspidi C, Bombelli M, Facchetti R, Mancia G, Grassi G. Relationships between residual blood pressure variability and cognitive function in the general population of the PAMELA study. *J Clin Hypertens*. 2019;21:39-45.
302. Seravalle G, Quart-Trevano F, Dell'Oro R, Gronda E, Spaziani D, Facchetti R, Cuspidi C, **Mancia G**, Grassi G. Sympathetic and baroreflex alterations in congestive heart failure with preserved, mid-range and reduced ejection fraction. *J Hypertens*. 2019;37:443-448.
303. Redon P, Maloberti A, Facchetti R, Redon J, Lurbe E, Bombelli M, **Mancia, G** Grassi G. Gender-related differences in serum uric acid in treated hypertensive patients from central and east European countries: findings from the Blood Pressure control rate and CArdiovascular Risk profilE study. *J Hypertens*. 2019;37:380-388.
304. Radaelli A, **Mancia G**, De Carlini C, Soriano F, Castiglioni P. Patterns of cardiovascular variability after long-term sino-aortic denervation in unanesthetized adult rats. *Sci Reports* 2019,9:1232 (pages 1-12). doi: 10.1038/s41598-018-37970-0.
305. Cuspidi C, Facchetti R, Bombelli M, Tadic M, Sala C, Grassi G, **Mancia G**. High Normal Blood Pressure and Left Ventricular Hypertrophy. Echocardiographic Findings From the PAMELA Population. *Hypertension*. 2019, 73:612-619
306. Bombelli M, Macchiarulo M, Facchetti R, Maggiolini D, Cuspidi C, Parati G, **Mancia G**, Grassi G. Serum uric acid and resistance to antihypertensive treatment: data from the European Lacidipine Study on Atherosclerosis. *J Hypertens* 2019, 37:844-850.
307. **Mancia G**, Rea F, Corrao G, Grassi G. Two-drug combinations as first-step antihypertensive treatment. *Circ Res* 2019, 124:1113-1123.
308. Parati G, Castiglioni P, Faini A, Di Renzo M, **Mancia G**, Barbieri R, Saul JP. Closed-Loop Cardiovascular Interactions and the Baroreflex Cardiac Axis: Modulations Over the 24 h and the Effect of Hypertension. *Frontiers in Physiology*. 2019, May 7. doi: 10.3389/fphys.2019.00477
309. Rahman F, McEvoy JW, Ohkuma T, Marre M, Hamet P, Harrap S, **Mancia G**, Rodgers A, Selvin E, Williams B, Munter P, Chalmers J, Woodward M; ADVANCE Collaborative Group. Effects of Blood Pressure Lowering on Clinical Outcomes According to Baseline Blood Pressure and Cardiovascular Risk in Patients with Type 2 Diabetes Mellitus. *Hypertension*. 2019;73:1291-1299.
310. Cuspidi C, Facchetti R, Quart-Trevano F, Sala C, Tadic M, Grassi G, **Mancia G**. Incident Left Ventricular Hypertrophy in Masked Hypertension. *Hypertension*. 2019;74:56-62.
311. Koutsaki M, Thomopoulos C, Achimastos A, Kallistratos M, Batistaki C, Chatzilagaki E, Soulioti E, Pouliomenos L, Koutsaki S, Mela A, **Mancia G**, Manolis AJ. Perioperative SBP changes during orthopedic surgery in the elderly: clinical implications. *J Hypertens*. 2019;37:1705-1713.
312. Tadic M, Cuspidi C, Bombelli M, Facchetti R, **Mancia G**, Grassi G. Relationships between residual blood pressure variability and cognitive function in the general population of the PAMELA study. *J Clin Hypertens*. 2019;21:39-45
313. Grassi, G., Biffi, A., Seravalle, G., Trevano, F., Dell'Oro, R., Corrao, G., **Mancia G**. Sympathetic Neural Overdrive in the Obese and Overweight State. *Hypertension* 2019;74, 349-358.
314. Cuspidi C, Caffi G, Dell'Oro R, Tadic M, Sala C, Grassi G, **Mancia G**. Extreme Dipping : Always means Nocturnal Hypotension ? *Am J Hypertens*. 2019;32:842-847

315. Dell'Oro R, Quarti-Trevano F, Seravalle G, Zanchetti, A, Bertoli S, Aioldi F, Mancia G, Grassi G. Sympathetic Nerve Traffic and Arterial Baroreflex Function in Apparent Drug-Resistant Hypertension. *Hypertension*. 2019; 74:903-909.
316. Cuspidi C, Tadic M, Sala C, Gherbesi E, Grassi G, **Mancia G**. Extreme dipping: is the cardiovascular risk increased? An unsolved issue. *J Hypertens*. 2019; 37: 1917-1926
317. Böhm M, Schumacher H, Teo KK, Lonn EM, Mahfoud F, Mann JFE, **Mancia G**, Redon J, Schmieder RE, Sliwa K, Marx N, Weber MA, Williams B, Yusuf S. Cardiovascular outcomes and achieved blood pressure in patients with and without diabetes at high cardiovascular risk. *Eur Heart J*. 2019;40:2032-2043.
318. Grassi G, Quarti-Trevano F, Dell'Oro R, Seravalle G, **Mancia G**. Pheochromocytoma as a Clinical Model of Sympathetic Overdrive: old and new findings. *Curr Hyp Rep* 2019; 21:90-97.
319. Tadic M, Cuspidi C, Celic V, Pencic B, Mancia G, Grassi G, Stankovic G, Ivanovic B The prognostic effect of circadian blood pressure pattern on long term cardiovascular outcome is independent on left ventricular remodeling *J Clin Med* 2019;8:2126-2134
320. Cuspidi C, Facchetti R, Quarti-Trevano F, Sala C, Tadic M, Grassi G, Mancia G Left ventricular Mass and incident out-of-office hypertension in a general population *J Hypertens* 2019;37:
321. Saeed S, Mancia G, Rajani R, Parking D, Chambers JB Hypertension in aortic stenosis:relationship with revealed symptomsand functional measures on treatment exercise. *J Hypertens* 2019;37:2209-2215
322. Rea F, Mella M, Monzio Compagnoni M, Cantarutti A, Merlini L, Mancia G, Corrao G Women discontinue antihypertensive drug therapy more than men. Evidence from an Italian population-based study *J H ypertens* 2020; 38:142-149

